

Axial rod



016 030 0001/HD

Notes

| | |
|----------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 246 |
| Thread Measurement 1 | M16x1,5 |
| Thread Measurement 2 | M14x1,5 |



References

| | |
|---------------|---------------|
| MERCEDES-BENZ | 210 338 04 15 |
|---------------|---------------|

Application info

MERCEDES-BENZ BM 210 (E-Class) (06/95-03/03)

Axial rod



11-16 030 0008/HD

Notes

| | |
|----------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 315 |
| Thread Measurement 1 | M16x1,5 |
| Thread Measurement 2 | M16x1,5 |



References

| | |
|---------|---------------|
| CITROËN | 14 716 540 80 |
| FIAT | 9945836 |
| PEUGEOT | 4018.A4 |

Application info

CITROËN Jumper I (02/94-04/02)
CITROËN Jumper II (02/02-06/06)
FIAT Ducato (230) (03/94-04/02)

FIAT Ducato (244) (04/02-07/06)
PEUGEOT Boxer I (03/94-04/02)
PEUGEOT Boxer II (04/02-09/09)

Axial rod



11-16 031 0012/HD

Notes

| | |
|----------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 255 |
| Thread Measurement 1 | M16x1,5 |
| Thread Measurement 2 | M16x1,5 |



References

| | |
|---------|------------|
| CITROËN | 1610976380 |
| | 4001 A1 |
| | 4001 E5 |
| FIAT | 1359226080 |
| PEUGEOT | 1610976380 |
| | 4001 A1 |
| | 4001 E4 |
| | 4001 E5 |

Application info

CITROËN Jumper III (04/06--)
FIAT Ducato (250) (07/06--)

PEUGEOT Boxer III (04/06--)

Axial rod



11-16 031 0014/HD

Notes

| | |
|----------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 225 |
| Thread Measurement 1 | M10x1 |
| Thread Measurement 2 | M14x1,5 |



References

| | |
|---------|---------------|
| PEUGEOT | 16 08 025 380 |
|---------|---------------|

Application info

CITROËN C4 Cactus (09/14--)
PEUGEOT 2008 (03/13--)

PEUGEOT 208 (03/12--)

Axial rod



11-16 031 0034/HD

Notes

| | |
|----------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 225 |
| Thread Measurement 1 | M14x1,5 |
| Thread Measurement 2 | M12x1,25 |



References

| | |
|---------|-------------|
| CITROËN | 4001.33 |
| PEUGEOT | 4001.33 |
| TOYOTA | 45500-0H010 |

Application info

CITROËN C1 (06/05--)
PEUGEOT 107 (06/05--)

TOYOTA Aygo (07/05-08/10)

Axial rod



116 031 0017/HD

Notes

| | |
|--------------------------|----------------------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 297 |
| Manufacturer Restriction | TRW |
| Thread Measurement 1 | M14x1,5 |
| Thread Measurement 2 | M14x1,5 |
| | for vehicles with power steering |



References

| | |
|--------------|---------------|
| SEAT | 6Q0 423 803 P |
| | 6Q0 423 804 P |
| SKODA | 6Q0 423 803 P |
| | 6Q0 423 804 P |
| SKODA (SVW) | 6Q0 423 803 P |
| | 6Q0 423 804 P |
| VW | 6Q0 423 803 P |
| | 6Q0 423 804 P |
| | 6RG 423 810 A |
| VW (SVW) | 6Q0 423 802 E |
| | 6Q0 423 804 E |

Application info

SEAT Ibiza IV / Cordoba (02/02-11/09)
SKODA Fabia I (08/99-03/08)
SKODA Roomster (03/06-03/10)
SKODA (SVW) Fabia (12/08--)

VW Fox/Lupo Z51 (10/03--)
VW Polo (9N_) (10/01-11/09)
VW (SVW) New Polo (06/06-03/12)
VW (SVW) Polo (01/02-03/06)

Axial rod



116 031 0019/HD

Notes

| | |
|----------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 400 |
| Thread Measurement 1 | M18x1,5 |
| Thread Measurement 2 | M16x1,5 |

References

| | |
|---------------|---------------|
| MERCEDES-BENZ | 906 460 01 55 |
| | 906 460 00 55 |
| VW | 2E0 713 491 |



Application info

MERCEDES-BENZ BM 906 (Sprinter II) (06/06--)

VW Crafter (04/06-07/11)

Axial rod



116 031 0029/HD

Notes

| | |
|----------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 314 |
| Thread Measurement 1 | M14x1,5 |
| Thread Measurement 2 | M14x1,5 |

References

| | |
|------|---------------|
| AUDI | 6R0 423 803 D |
| | 6R0 423 804 D |
| | 8Z0 423 803 F |
| | 8Z0 423 804 F |
| SEAT | 6R0 423 803 A |
| | 6R0 423 803 C |
| | 6R0 423 804 A |
| | 6R0 423 804 C |
| VW | 6R0 423 803 A |
| | 6R0 423 803 C |
| | 6R0 423 803 D |
| | 6R0 423 804 A |
| | 6R0 423 804 C |
| | 6R0 423 804 D |



Application info

AUDI A1 (8X1, 8XA) (05/10--)
 AUDI A2 (8Z0) (02/00-08/05)
 SEAT Ibiza V (6J1, 6J5, 6J8) (03/08-06/10)

SEAT TOLEDO IV (KG3) (07/12--)
 SKODA Rapid II (NH) (07/12--)
 VW Polo (6R_) (06/09-01/11)

Axial rod



16-16 031 0013/HD

Notes

| | |
|----------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 215 |
| Thread Measurement 1 | M14x1,5 |
| Thread Measurement 2 | M14x1,5 |

References

| | |
|---------|-------------|
| MAZDA | D653-32-240 |
| RENAULT | 7701474448 |



Application info

MAZDA 2 (DE) (10/07--)
RENAULT Mégane II (11/02-01/11)

RENAULT Scénic II (06/03-04/09)

Axial rod



16-16 031 0033/HD

Notes

| | |
|----------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 309 |
| Thread Measurement 1 | M14x1,5 |
| Thread Measurement 2 | M14x1,5 |

References

| | |
|---------|------------|
| NISSAN | 48001AX702 |
| | 48001AY612 |
| | 48001BC43A |
| | 48001BC46A |
| RENAULT | 7701475841 |



Application info

NISSAN Micra (K12) (01/03-06/10)

RENAULT Clio III / Modus (09/04-08/10)

Axial rod



16-16 031 0035/HD

Notes

| | |
|--------------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 236 |
| Manufacturer Restriction | TRW |
| Thread Measurement 1 | M14x1,5 |
| Thread Measurement 2 | M14x1,5 |



References

| | |
|---------|------------|
| RENAULT | 7701471143 |
| | 7701471144 |

Application info

RENAULT Clio II / Thalia (02/98-02/10)

Axial rod



16-16 031 0036/HD

Notes

| | |
|--------------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 291 |
| Manufacturer Restriction | TRW |
| Thread Measurement 1 | M14x1,5 |
| Thread Measurement 2 | M14x1,5 |



References

| | |
|---------|------------|
| RENAULT | 7701472734 |
| | 7701472735 |

Application info

RENAULT Clio II / Thalia (02/98-02/10)

Axial rod



16-16 031 0037/HD

Notes

| | |
|----------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 263 |
| Thread Measurement 1 | M12x1 |
| Thread Measurement 2 | M14x1,5 |



References

| | |
|----------------|-------------|
| GENERAL MOTORS | 91160037* |
| NISSAN | 48520-00QAM |
| OPEL | 44 08 474* |
| RENAULT | 7701473333 |
| VAUXHALL | 44 08 474* |

Application info

NISSAN Primastar (03/01--)
OPEL Vivaro (08/01--)
OPEL Vivaro B (06/14--)
RENAULT Trafic I (03/80-03/01)

RENAULT Trafic II (03/01-07/03)
RENAULT Trafic III (05/14--)
VAUXHALL Vivaro (08/01-12/06)
VAUXHALL Vivaro B (05/14--)

Axial rod



16-16 031 0038/HD

Notes

| | |
|----------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 205 |
| Thread Measurement 1 | M16x1,5 |
| Thread Measurement 2 | M14x1,5 |



References

| | |
|-------|------------|
| DACIA | 8201108350 |
|-------|------------|

Application info

DACIA Duster (04/10--)

RENAULT Duster (06/09--)

Axial rod



16-16 031 0039/HD

Notes

| | |
|----------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 300 |
| Thread Measurement 1 | M12x1 |
| Thread Measurement 2 | M14x1,5 |

References

| | |
|---------|------------|
| RENAULT | 7701477878 |
|---------|------------|



Application info

RENAULT Twingo II / Wind (03/07--)

Axial rod



216 031 0026/HD

Notes

| | |
|----------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 250 |
| Thread Measurement 1 | M14x1,5 |
| Thread Measurement 2 | M12x1,5 |

References

| | |
|------|---------------|
| FIAT | 51786814 |
| | 51786815 |
| | 51875886 |
| | 51875887 |
| FORD | 1 541 354 |
| | 9S51-3A500-AA |



Application info

FIAT 500 (10/07--)

FORD KA II (10/08--)

Axial rod



216 031 0027/HD

Notes

Reinforced Version
Front Axle Left
Front Axle Right
Length [mm] 296
Thread Measurement 1 M16x1,5
Thread Measurement 2 M16x1,5
for vehicles with power steering



References

FIAT 98845026

Application info

FIAT Doblo (119, 223) (03/01-01/10)

Axial rod



216 031 0028/HD

Notes

Reinforced Version
Front Axle Left
Front Axle Right
Length [mm] 330
Thread Measurement 1 M16x1,5
Thread Measurement 2 M14x1,5



References

FIAT 98845024

Application info

FIAT Doblo (119, 223) (03/01-01/10)

Axial rod



216 031 0029/HD

Notes

Reinforced Version
Front Axle Left
Front Axle Right
Length [mm] 252
Thread Measurement 1 M14x1,5
Thread Measurement 2 M12x1,5



References

LANCIA 51706968
51832250
51893013
77362380

Application info

LANCIA Ypsilon (843) (10/03-12/11)

Axial rod



216 031 0030/HD

Notes

| | |
|----------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 272 |
| Thread Measurement 1 | M14x1,5 |
| Thread Measurement 2 | M14x1,5 |



References

| | |
|---------|---------|
| CITROËN | 4001 K6 |
| | 4001 NZ |
| | 4001 PA |
| | 4001.77 |
| FIAT | 9940260 |
| LANCIA | 9940260 |
| PEUGEOT | 4001 77 |
| | 4001 K6 |
| | 4001 NZ |
| | 4001 PA |

Application info

CITROËN Nemo (02/08--)
FIAT Croma I (12/85-12/96)
FIAT Fiorino Nuovo (11/07--)

FIAT Linea (06/07--)
LANCIA Thema I (11/84-07/94)
PEUGEOT Bipper (02/08--)

Axial rod



28-16 031 0023/HD

Notes

| | |
|----------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 279 |
| Thread Measurement 1 | M16x1,5 |
| Thread Measurement 2 | M12x1,25 |



References

| | |
|-----|--------------|
| KIA | KDX53 32240B |
|-----|--------------|

Application info

KIA Rio I (08/00-02/05)

Axial rod



28-16 031 0025/HD

Notes

| | |
|----------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 170 |
| Thread Measurement 1 | M18x1,5 |
| Thread Measurement 2 | M14x1,5 |



References

| | |
|-----|-------------|
| KIA | 57731 3E010 |
| | 57732 3E010 |

Application info

KIA Sorento I (08/02--)

Axial rod



28-16 031 0026/HD

Notes

| | |
|----------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 290 |
| Thread Measurement 1 | M16x1,5 |
| Thread Measurement 2 | M12x1,25 |



References

| | |
|-----|-------------|
| KIA | 57724 07000 |
|-----|-------------|

Application info

KIA Picanto I (04/04--)

Axial rod



30-16 031 0029/HD

Notes

| | |
|----------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 305 |
| Thread Measurement 1 | M14x1,5 |
| Thread Measurement 2 | M16x1,5 |



References

| | |
|--------|-------------|
| TOYOTA | 45503-0F010 |
|--------|-------------|

Application info

TOYOTA Avensis (T25) (04/03-11/08)

TOYOTA Corolla Verso (03/04-03/09)

Axial rod



31-16 031 0009/HD

Notes

| | |
|----------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 122 |
| Thread Measurement 1 | M18x1,5 |
| Thread Measurement 2 | M14x1,5 |

References

| | |
|-------|---------------|
| HONDA | 53010-SDA-A01 |
|-------|---------------|



Application info

HONDA Accord IX (06/08-12/08)

HONDA Accord VIII (02/03-12/08)

Axial rod



316 031 0017/HD

Notes

| | |
|----------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 239 |
| Thread Measurement 1 | M18x1,5 |
| Thread Measurement 2 | M16x1,5 |

References

| | |
|------------------|------------------|
| BMW | 32 10 6 777 479* |
| | 32 21 6 777 451* |
| BMW (BRILLIANCE) | 32 10 6 777 479* |
| | 32 21 6 777 451* |



Application info

BMW 5 (E60, E61) (07/03-08/10)
BMW 6 (E63, E64) (01/04--)

BMW (BRILLIANCE) 5 Series (E60) (03/03-09/10)

Axial rod



316 031 0018/HD

Notes

| | |
|--------------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 246 |
| Manufacturer Restriction | TRW |
| Thread Measurement 1 | M18x1,5 |
| Thread Measurement 2 | M14x1,5 |

References

| | |
|------------------|------------------|
| BMW | 32 21 6 762 243* |
| | 32 21 6 762 244* |
| BMW (BRILLIANCE) | 32 21 6 762 243* |
| | 32 21 6 762 244* |



Application info

BMW 1 (E81, E82, E87, E88) (11/03-09/12)
BMW 3 (E90, E91, E92, E93) (01/05-05/12)

BMW X1 (E84) (03/09--)
BMW (BRILLIANCE) 3 Series (E90) (01/05-09/12)

Axial rod

35-16 031 0004

Notes

| | |
|----------------------|------------------|
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 234,5 |
| Thread Measurement 1 | 16x1 |
| Thread Measurement 2 | 14x1,5 |

References

| | |
|-------|-------------|
| MAZDA | NE51-32 240 |
|-------|-------------|



Application info

MAZDA MX-5 (NC) (03/05--)

Axial rod



35-16 031 0029/HD

Notes

| | |
|----------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 234,5 |
| Thread Measurement 1 | 16x1 |
| Thread Measurement 2 | 14x1,5 |

References

| | |
|-------|-------------|
| MAZDA | NE51-32 240 |
|-------|-------------|



Application info

MAZDA MX-5 (NC) (03/05--)

Axial rod



36-16 031 0020/HD

Notes

| | |
|----------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 233 |
| Thread Measurement 1 | M22x1,5 |
| Thread Measurement 2 | M14x1,5 |

References

| | |
|---------|-------------|
| NISSAN | 48001-JD900 |
| | D8521-JD00B |
| RENAULT | 485219204R |



Application info

NISSAN Qashqai I (02/07--)
NISSAN X-Trail (T31) (03/07--)

RENAULT Koleos (09/08--)

Axial rod



37-16 031 0020/HD

Notes

| | |
|----------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 173 |
| Thread Measurement 1 | M16x1,5 |
| Thread Measurement 2 | M16x1,5 |

References

| | |
|---------|-------------|
| HYUNDAI | 57724-2S000 |
|---------|-------------|



Application info

HYUNDAI ix35 (08/09--)

Axial rod



37-16 031 0021/HD

Notes

| | |
|----------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 300 |
| Thread Measurement 1 | M16x1,5 |
| Thread Measurement 2 | M12x1,25 |

References

| | |
|---------|-------------|
| HYUNDAI | 57724-0X000 |
|---------|-------------|



Application info

HYUNDAI i10 (12/07--)

Axial rod



40-16 031 0000/HD

Notes

| | |
|----------------------|------------------|
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 238,5 |
| Thread Measurement 1 | M12x1 |
| Thread Measurement 2 | M16x1,5 |

References

| | |
|---------|---------|
| CITROËN | 3812.E6 |
| PEUGEOT | 3812.E6 |



Application info

CITROËN C2 / C3 I / Pluriel (02/02-09/05)

PEUGEOT 1007 (04/05--)

Axial rod



40-16 031 0001/HD

Notes

| | |
|----------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 230,5 |
| Thread Measurement 1 | M12x1 |
| Thread Measurement 2 | M16x1,5 |

References

| | |
|---------|---------------|
| CITROËN | 16 08 652 180 |
| PEUGEOT | 16 08 652 180 |



Application info

CITROËN C Elyse (11/12--)

PEUGEOT 301 (11/12--)

Axial rod



44-16 031 0002/HD

Notes

| | |
|----------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 289,5 |
| Thread Measurement 1 | M14x1,5 |
| Thread Measurement 2 | M14X1,5 |

References

| | |
|----------|------------|
| CHRYSLER | 5272500AE* |
|----------|------------|



Application info

CHRYSLER Neon II (08/99-12/06)

CHRYSLER PT Cruiser (06/00-12/10)

Axial rod



516 031 0004/HD

Notes

| | |
|----------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 294 |
| Thread Measurement 1 | M14x1,5 |
| Thread Measurement 2 | M16x1,5 |

References

| | |
|-------|-----------|
| FORD | 1 510 270 |
| VOLVO | 31201817 |



Application info

FORD C-Max I (02/07--)
FORD Focus II (10/03-09/08)
FORD Kuga (03/08--)

VOLVO C30 (10/06-12/12)
VOLVO C70 II (03/06--)
VOLVO S40 II / V50 (01/04--)

Axial rod



53-16 031 0005/HD

Notes

| | |
|------------------------|--------------------|
| | Reinforced Version |
| | Front Axle inner |
| Length [mm] | 375 |
| Paired article numbers | 53-16 031 0006/HD |
| Thread Measurement 1 | M20x1,5 |
| Thread Measurement 2 | M16x1,5 |

References

| | |
|------------|-----------|
| LAND ROVER | QFK500020 |
|------------|-----------|



Application info

LAND ROVER Discovery III (07/04-09/09)

LAND ROVER Discovery IV (09/09--)

Axial rod



53-16 031 0006/HD

Notes

| | |
|------------------------|--------------------|
| | Reinforced Version |
| | Front Axle inner |
| Length [mm] | 375 |
| Paired article numbers | 53-16 031 0005/HD |
| Thread Measurement 1 | M16x1,5 |
| Thread Measurement 2 | M16x1,5 |

References

| | |
|------------|-----------|
| LAND ROVER | QFK500010 |
|------------|-----------|



Application info

LAND ROVER Discovery III (07/04-09/09)

LAND ROVER Discovery IV (09/09--)

Axial rod



616 031 0031/HD

Notes

| | |
|----------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 293 |
| Thread Measurement 1 | M14x1,5 |
| Thread Measurement 2 | M14x1,5 |



References

| | |
|----------------|-----------|
| GENERAL MOTORS | 93189022 |
| | 93196540 |
| OPEL | 16 03 543 |
| | 16 09 456 |
| VAUXHALL | 16 03 543 |
| | 16 09 456 |

Application info

ALFA ROMEO Mito (09/08--)
FIAT Grande Punto (10/05-07/12)
FIAT Punto Evo (07/08-03/12)

OPEL Corsa D (07/06--)
VAUXHALL Combo Mk III (07/06--)
VAUXHALL Corsa Mk III (07/06-03/12)

Axial rod



616 031 0032/HD

Notes

| | |
|----------------------|--|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 350 |
| Thread Measurement 1 | M16x1,5 |
| Thread Measurement 2 | M14x1,5 |
| | for vehicles with hydraulic power steering |



References

| | |
|----------------|-----------|
| CHEVROLET | 95932789 |
| GENERAL MOTORS | 95932789 |
| OPEL | 16 09 205 |
| VAUXHALL | 16 09 205 |

Application info

CHEVROLET Trax (12/12--)
OPEL Mokka (06/12--)

VAUXHALL Mokka (06/12--)

Axial rod



616 031 0033/HD

Notes

| | |
|----------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 290 |
| Thread Measurement 1 | M14x1,5 |
| Thread Measurement 2 | M14X1,5 |



References

| | |
|----------|-----------|
| OPEL | 16 09 211 |
| VAUXHALL | 16 09 211 |

Application info

| | |
|------------------------|--------------------------------|
| OPEL Adam (10/12--) | VAUXHALL Adam (10/12--) |
| OPEL Corsa E (09/14--) | VAUXHALL Corsa Mk IV (08/14--) |

Axial rod



616 031 0034/HD

Notes

| | |
|----------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 284 |
| Thread Measurement 1 | M18x1,5 |
| Thread Measurement 2 | M14x1,5 |



References

| | |
|----------------|-----------|
| GENERAL MOTORS | 93187434 |
| | 93191672 |
| OPEL | 16 03 384 |
| | 16 03 416 |
| VAUXHALL | 16 03 384 |
| | 16 03 416 |

Application info

| | |
|--------------------------------------|--|
| FIAT Croma II (06/05--) | VAUXHALL Vectra Mk II / Signum (01/00-10/08) |
| OPEL Vectra C / Signum (04/02-09/08) | |

Axial rod



616 031 0035/HD

Notes

| | |
|----------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 289 |
| Thread Measurement 1 | M18x1,5 |
| Thread Measurement 2 | M14x1,5 |



References

| | |
|----------------|-----------|
| GENERAL MOTORS | 93187435 |
| OPEL | 16 03 290 |
| VAUXHALL | 16 03 290 |

Application info

OPEL Vectra C / Signum (04/02-09/08)

VAUXHALL Vectra Mk II / Signum (01/00-10/08)

Axial rod



616 031 0036/HD

Notes

| | |
|----------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 308 |
| Thread Measurement 1 | M18x1,5 |
| Thread Measurement 2 | M16x1,5 |



References

| | |
|----------------|-----------|
| BUICK (SGM) | 13271996 |
| GENERAL MOTORS | 13271996 |
| OPEL | 66 06 030 |
| VAUXHALL | 66 06 030 |

Application info

BUICK (SGM) Regal II (12/08--)
OPEL Insignia (07/08--)

VAUXHALL Insignia (07/08-09/13)

Axial rod



616 031 0037/HD

Notes

| | |
|----------------------|--|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 290 |
| Thread Measurement 1 | M16x1,5 |
| Thread Measurement 2 | M16x1,5 |
| | for vehicles with electro-hydraulic steering |



References

| | |
|----------------|----------|
| CHEVROLET | 13278358 |
| GENERAL MOTORS | 13278358 |
| OPEL | 9 20 005 |
| | 9 20 007 |
| VAUXHALL | 9 20 005 |
| | 9 20 007 |

Application info

CHEVROLET Cruze (J300, J305) (07/00-09/08)
CHEVROLET Cruze (J308) (08/12--)

OPEL Astra J (12/09--)
VAUXHALL Astra Mk VI (12/09--)

Axial rod



716 031 0016/HD

Notes

| | |
|----------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 289 |
| Thread Measurement 1 | M14x1,5 |
| Thread Measurement 2 | M14x1,5 |



References

| | |
|-------|---------------|
| FORD | 1 545 457 |
| | 8V51-3L519-AA |
| MAZDA | D651-32-240 |

Application info

FORD B-MAX (10/12--)
FORD Fiesta VI (06/08--)
FORD Tourneo (12/12--)

FORD Transit Courier (02/14--)
MAZDA 2 (DE) (10/07--)

Axial rod



716 031 0017/HD

Notes

| | |
|----------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 289 |
| Thread Measurement 1 | M14x1,5 |
| Thread Measurement 2 | M16x1,5 |

References

| | |
|-------|---------------|
| FORD | 1 780 104 |
| | AV6C-3L519-AA |
| | 1 714 484 |
| | AV6C-3L519-BA |
| VOLVO | 31317779 |



Application info

| | |
|--------------------------|---------------------------|
| FORD C-Max II (12/10--) | FORD Tourneo (12/12--) |
| FORD Focus III (04/11--) | FORD Transit 13 (09/13--) |
| FORD Kuga II (01/13--) | VOLVO V40 II (03/12--) |

Axial rod



716 031 0018/HD

Notes

| | |
|----------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Front Axle Right |
| Length [mm] | 292 |
| Thread Measurement 1 | M14x1,5 |
| Thread Measurement 2 | M16x1,5 |

References

| | |
|-------|-----------|
| FORD | 1 251 937 |
| | 1 377 655 |
| VOLVO | 30776283 |



Application info

| | |
|-----------------------------|------------------------------|
| FORD C-Max I (02/07--) | VOLVO C30 (10/06-12/12) |
| FORD Focus II (10/03-09/08) | VOLVO C70 II (03/06--) |
| FORD Kuga (03/08--) | VOLVO S40 II / V50 (01/04--) |

Axial rod



716 031 0019/HD

Notes

Reinforced Version
Front Axle Left
Front Axle Right
300
Length [mm]
Thread Measurement 1
M14x1,5
Thread Measurement 2
M16x1,5
for vehicles with hydraulic power steering



References

FORD 1 754 076

Application info

FORD Focus III (04/11--)

Axial rod



716 031 0020/HD

Notes

Reinforced Version
Front Axle Left
Front Axle Right
382
Length [mm]
Thread Measurement 1
M16x1,5
Thread Measurement 2
M16x1,5



References

FORD 1 763 991

Application info

FORD Tourneo (12/12--)
FORD Transit 14 (05/14--)

FORD Transit Custom (12/12--)

Tie rod end

116 020 0009

Notes

Front Axle Left
94
Length [mm]
Paired article numbers
116 020 0010
Thread Measurement 1
M12x1,5
Thread Measurement 2
M14x1,5



References

AUDI 6C0 423 811 A
SEAT 6C0 423 811 A
SKODA 6C0 423 811 A
VW 6C0 423 811 A

Application info

AUDI A1 (8X1, 8XA) (05/10--)
SEAT Ibiza V (6J1, 6J5, 6J8) (03/08-06/10)
SEAT TOLEDO IV (KG3) (07/12--)

SKODA Fabia III (08/14--)
SKODA Rapid II (NH) (07/12--)
VW Polo (6R_) (06/09-01/11)

Tie rod end

116 020 0010

Notes

| | |
|------------------------|------------------------|
| Length [mm] | Front Axle Right 94 |
| Paired article numbers | 116 020 0009 |
| Thread Measurement 1 | M12x1,5 |
| Thread Measurement 2 | M14x1,5 |

References

| | |
|-------|---------------|
| SEAT | 6C0 423 812 A |
| SKODA | 6C0 423 812 A |
| VW | 6C0 423 812 A |



Application info

| | |
|--|-------------------------------|
| AUDI A1 (8X1, 8XA) (05/10--) | SKODA Fabia III (08/14--) |
| SEAT Ibiza V (6J1, 6J5, 6J8) (03/08-06/10) | SKODA Rapid II (NH) (07/12--) |
| SEAT TOLEDO IV (KG3) (07/12--) | VW Polo (6R_) (06/09-01/11) |

Tie rod end



116 020 0040/HD

Notes

| | |
|------------------------|------------------------|
| | Reinforced Version |
| Length [mm] | Front Axle Right 94 |
| Paired article numbers | 116 020 0041/HD |
| Thread Measurement 1 | M12x1,5 |
| Thread Measurement 2 | M14x1,5 |

References

| | |
|-------------|---------------|
| SEAT | 6Q0 423 812 C |
| | 6R0 423 812 |
| SKODA | 6Q0 423 812 C |
| | 6R0 423 812 |
| SKODA (SVW) | 6R0 423 812 |
| VW | 6Q0 423 812 C |
| | 6R0 423 812 |
| VW (FAW) | 6Q0 423 812 C |
| VW (SVW) | 6R0 423 812 |



Application info

| | |
|--|-----------------------------------|
| SEAT Ibiza IV / Cordoba (02/02-11/09) | SKODA (SVW) Rapid (Na2) (04/13--) |
| SEAT Ibiza V (6J1, 6J5, 6J8) (03/08-06/10) | VW Fox/Lupo Z51 (10/03--) |
| SEAT TOLEDO IV (KG3) (07/12--) | VW Polo (6R_) (06/09-01/11) |
| SKODA Fabia I (08/99-03/08) | VW Polo (9N_) (10/01-11/09) |
| SKODA Fabia II (12/06--) | VW (FAW) Jetta Night (03/13--) |
| SKODA Rapid II (NH) (07/12--) | VW (SVW) New Polo (06/06-03/12) |
| SKODA Roomster (03/06-03/10) | VW (SVW) Polo (01/02-03/06) |
| SKODA (SVW) Fabia (12/08--) | VW (SVW) Santana III (12/12--) |

Tie rod end

116 020 0042

Notes

| | |
|------------------------|------------------|
| | Front Axle Right |
| | Outer |
| Length [mm] | 94 |
| Paired article numbers | 116 020 0043 |
| Thread Measurement 1 | M12x1.5 |
| Thread Measurement 2 | M14x1.5 |

References

| | |
|------|---------------|
| AUDI | 6R0 423 812 A |
| VW | 6R0 423 812 A |



Application info

AUDI A1 (8X1, 8XA) (05/10--)

VW Polo (6R_) (06/09-01/11)

Tie rod end



116 020 0042/HD

Notes

| | |
|------------------------|--------------------|
| | Reinforced Version |
| | Front Axle Right |
| | Outer |
| Length [mm] | 94 |
| Paired article numbers | 116 020 0043/HD |
| Thread Measurement 1 | M12x1.5 |
| Thread Measurement 2 | M14x1.5 |

References

| | |
|------|---------------|
| AUDI | 6R0 423 812 A |
| VW | 6R0 423 812 A |



Application info

AUDI A1 (8X1, 8XA) (05/10--)

VW Polo (6R_) (06/09-01/11)

Tie rod end

116 020 0043

Notes

| | |
|------------------------|-----------------|
| | Front Axle Left |
| | Outer |
| Length [mm] | 94 |
| Paired article numbers | 116 020 0042 |
| Thread Measurement 1 | M12x1.5 |
| Thread Measurement 2 | M14x1.5 |

References

| | |
|------|---------------|
| AUDI | 6R0 423 811 A |
| VW | 6R0 423 811 A |



Application info

AUDI A1 (8X1, 8XA) (05/10--)

VW Polo (6R_) (06/09-01/11)

Tie rod end



116 020 0043/HD

Notes

| | |
|------------------------|--------------------|
| | Reinforced Version |
| | Front Axle Left |
| | Outer |
| Length [mm] | 94 |
| Paired article numbers | 116 020 0042/HD |
| Thread Measurement 1 | M12x1.5 |
| Thread Measurement 2 | M14x1.5 |

References

| | |
|------|---------------|
| AUDI | 6R0 423 811 A |
| VW | 6R0 423 811 A |



Application info

AUDI A1 (8X1, 8XA) (05/10--)

VW Polo (6R_) (06/09-01/11)