

### ABS wheel sensor

014 800 0117

#### Notes

	Rear Axle Left
Cable Length [mm]	1600
Number of Poles	2
Operating voltage [V]	12
Paired article numbers	014 800 0118
Required quantity	1
	Hall Sensor

#### References

MERCEDES-BENZ	906 540 11 17
VW	2E0 927 748 B



#### Application info

MERCEDES-BENZ BM 906 (Sprinter II) (06/06--)

VW Crafter (04/06-07/11)

### ABS wheel sensor

014 800 0120

#### Notes

	Front Axle
Length [mm]	1002
Number of Poles	2
Operating voltage [V]	12
Required quantity	2
	Hall Sensor

#### References

MERCEDES-BENZ	221 540 03 17
---------------	---------------



#### Application info

MERCEDES-BENZ BM 216 (S-Class) (05/06--)

MERCEDES-BENZ BM 221 (S-Class) (10/05-06/09)

### ABS wheel sensor

014 800 0121

#### Notes

	Front Axle left and right
Number of Poles	2
Operating voltage [V]	12
Required quantity	2
	Hall Sensor

#### References

MERCEDES-BENZ	204 905 79 00
---------------	---------------



#### Application info

MERCEDES-BENZ BM 204 (C-Class) (01/07--)

### ABS wheel sensor

114 800 0008

#### Notes

Number of Poles	Left Rear
Operating voltage [V]	2
Paired article numbers	12
Required quantity	114 800 0007
	1
	for vehicles with headlamp levelling
	Inductive Sensor

#### References

AUDI	8D0 927 807 G
------	---------------



#### Application info

AUDI A4 (8D2, 8D5, B5) (11/94-09/01)

### ABS wheel sensor

114 800 0027

#### Notes

Cable Length [mm]	Rear Axle Left
Operating voltage [V]	1120
Required quantity	12
	1
	Inductive Sensor

#### References

VW	3B0 927 807 H
----	---------------



#### Application info

VW Passat (3B\_) (08/96-08/05)

### ABS wheel sensor

16-14 800 0019

#### Notes

Cable Length [mm]	Rear Axle Right
Number of Poles	1560
Operating voltage [V]	2
Paired article numbers	12
Required quantity	16-14 800 0018
	1
	for vehicles with ABS
	for vehicles without ESP
	Inductive Sensor

#### References

RENAULT	7700411746
---------	------------



#### Application info

RENAULT Clio II / Thalia (02/98-02/10)

### ABS wheel sensor

314 800 0045

#### Notes

Cable Length [mm] Rear Axle left and right  
959  
Operating voltage [V] 12  
Required quantity 2  
for vehicles with DSC  
Hall Sensor

#### References

BMW 34 52 6 764 610



#### Application info

BMW 1 (E81, E82, E87, E88) (11/03-09/12)

BMW 3 (E90, E91, E92, E93) (01/05-05/12)

### ABS wheel sensor

514 800 0026

#### Notes

Cable Length [mm] Rear Axle left and right  
1900  
Cable Length [mm] 1255  
Number of Poles 3  
Operating voltage [V] 12  
Required quantity 2  
Hall Sensor

#### References

VOLVO 9472171



#### Application info

VOLVO C/S/V 70 (11/96-10/05)

### ABS wheel sensor

534 533 0005

#### Notes

Front Axle  
Rear Axle  
Number of Poles 2  
Operating voltage [V] 24  
Required quantity 2  
Resistance [Ohm] 1150  
Inductive Sensor

#### References

VOLVO 20428946



#### Application info

VOLVO B 12 (01/92--)  
VOLVO FH 12 (08/93--)  
VOLVO FH 16 (08/93-12/02)  
VOLVO FM (09/05--)

VOLVO FM 12 (08/98-09/05)  
VOLVO FM 7 (08/98-12/01)  
VOLVO FM 9 (12/01-09/05)

### ABS wheel sensor

**534 533 0006**

#### Notes

Number of Poles	Front Axle
Operating voltage [V]	2
Required quantity	24
Resistance [Ohm]	2
	1150
	Inductive Sensor

#### References

RENAULT TRUCKS	74 20 509 869
VOLVO	20554956



#### Application info

VOLVO FM (09/05--)

### ABS wheel sensor

**834 533 0018**

#### Notes

Cable Length [mm]	Front Axle
Length [mm]	Rear Axle
Number of Poles	2650
Operating voltage [V]	2750
Paired article numbers	2
Required quantity	24
Resistance [Ohm]	834 533 0021
	2
	1150
	for vehicles with ABS
	Inductive Sensor
	with accessories

#### References

SCANIA	1 892 057
--------	-----------



#### Application info

SCANIA 4 - series (05/95--)

SCANIA P,G,R,T - series (03/04-10/05)

### ABS wheel sensor

**834 533 0021**

#### Notes

	Front Axle
	Rear Axle
Number of Poles	2
Operating voltage [V]	24
Paired article numbers	834 533 0018
Required quantity	1
Resistance [Ohm]	1150
	Inductive Sensor

#### References

SCANIA	1 892 058
--------	-----------



#### Application info

SCANIA 4 - series (05/95--)

SCANIA P,G,R,T - series (03/04-10/05)

### Crank position sensor

**100 899 0063**

#### Notes

Cable Length [mm]	370
Fitting Depth [mm]	46
Number of Poles	3
Operating voltage [V]	12
Resistance [Ohm]	500
	Inductive Sensor

#### References

AUDI	045 957 147 C
SEAT	045 957 147 C
SKODA	045 957 147 C
VW	045 957 147 C



#### Application info

AUDI A2 (8Z0) (02/00-08/05)  
 SEAT Arosa (6H) (05/97-06/04)  
 SEAT Ibiza IV / Cordoba (02/02-11/09)  
 SKODA Fabia I (08/99-03/08)  
 SKODA Fabia II (12/06--)

SKODA Roomster (03/06-03/10)  
 VW Fox/Lupo Z51 (10/03--)  
 VW Lupo (09/98-07/05)  
 VW Polo (6N\_) (10/94-10/01)  
 VW Polo (9N\_) (10/01-11/09)

### Wear sensor

**014 527 0006**

#### Notes

Required quantity  
Warning Contact Length [mm]

Front Axle  
1  
100  
Disc Brake

#### References

MERCEDES-BENZ  
231 905 00 14



#### Application info

MERCEDES-BENZ BM 222 (S-Class) (05/13--)

MERCEDES-BENZ BM 231 (SL) (01/12--)

### Wear sensor

**314 527 0037**

#### Notes

Required quantity  
Warning Contact Length [mm]

Front Axle Left  
1  
665  
Disc Brake

#### References

MINI  
34 35 6 865 611



#### Application info

MINI Mini III (12/13--)