


Brake pad set



025 245 6118/PD

Notes

Brake System	Rear Axle
Height 1 [mm]	TRW
Height 2 [mm]	62,4
Quality	56
Thickness [mm]	PREMIUM
Width [mm]	18
	106
	prepared for wear indicator with anti-squeak plate



New applications

BMW 7 (G11, G12) (09/15--)


Brake pad set



025 283 3219/PD

Notes

Brake System	Front Axle
Height 1 [mm]	ATE
Height 2 [mm]	69,7
Number of wear indicators [per axle]	76,1
Quality	2
Thickness [mm]	PREMIUM
Width 1 [mm]	19,6
Width 2 [mm]	155,1
	156,4
	with acoustic wear warning with anti-squeak plate



New references

GENERAL MOTORS	93179707
	93179708
OPEL	16 05 996
	16 05 997
VAUXHALL	16 05 996
	16 05 997

New applications

OPEL Adam (10/12--)
OPEL Astra G / Zafira A (02/98-12/09)
OPEL Corsa E (09/14--)
OPEL Zafira C (Tourer) (10/11--)


VAUXHALL Adam (10/12--)
VAUXHALL Corsa Mk IV (08/14--)
VAUXHALL Zafira Mk I (11/98-08/05)

Brake pad set

025 283 3219/W

Notes

Brake System	Front Axle
Height 1 [mm]	ATE
Height 2 [mm]	69,7
Number of wear indicators [per axle]	76,1
Thickness [mm]	2
Width 1 [mm]	19,6
Width 2 [mm]	155,1
	156,4
	with acoustic wear warning
	with anti-squeak plate



New references

GENERAL MOTORS	93179707
	93179708
OPEL	16 05 996
	16 05 997
VAUXHALL	16 05 996
	16 05 997

New applications

OPEL Adam (10/12--)	VAUXHALL Adam (10/12--)
OPEL Astra G / Zafira A (02/98-12/09)	VAUXHALL Corsa Mk IV (08/14--)
OPEL Corsa E (09/14--)	VAUXHALL Zafira Mk I (11/98-08/05)
OPEL Zafira C (Tourer) (10/11--)	

Water pump

53-13 043 0001

Notes

Quality

Sealed with SiC/SiC
with seal



New applications

LAND ROVER Discovery I (10/89-10/98)

Axial rod

016 031 0008

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	204
Thread Measurement 1	M16x1,5
Thread Measurement 2	M14x1,5



New applications

MERCEDES-BENZ BM 463 (G-Class) (09/89-12/97)

Axial rod

036 030 0017

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	335
Thread Measurement 1	M16x1,5
Thread Measurement 2	M16x1,5



New applications

MERCEDES-BENZ BM 639 (Vito / Viano) (09/03-07/08)

Steering boot

100 620 0002

Notes

	Front Axle Left
	Front Axle Right
Height [mm]	190
Inner diameter 1 [mm]	15,5
Inner diameter 2 [mm]	49,5
	for vehicles with power steering with accessories



New applications

VW Caddy Alltrack (05/15--)
VW Caddy IV (05/15--)
VW Passat (A32) (04/11-12/14)

VW Tiguan II (02/16--)
VW Touran II (09/15--)

Tie rod end

016 020 0001

Notes

Length [mm]	Front Axle Right
Paired article numbers	205
Thread Measurement 1	016 020 0026
Thread Measurement 2	M14x1,5
	M16x1,5



New applications

MERCEDES-BENZ BM 164 (M-Class) (07/05-09/09)

Tie rod end

016 020 0008

Notes

Length [mm]	Front Axle Left
Paired article numbers	221
Thread Measurement 1	016 020 0009
Thread Measurement 2	M14x1,5
	M14x1,5



New applications

MERCEDES-BENZ BM 463 (G-Class) (09/89-12/97)

Tie rod end

016 020 0009

Notes

Length [mm]	Front Axle Right
Paired article numbers	221
Thread Measurement 1	016 020 0008
Thread Measurement 2	M14x1,5
	M14x1,5



New applications

MERCEDES-BENZ BM 463 (G-Class) (09/89-12/97)

Tie rod end

016 020 0026

Notes

Length [mm]	Front Axle Left 205
Paired article numbers	016 020 0001
Thread Measurement 1	M14x1,5
Thread Measurement 2	M16x1,5



New applications

MERCEDES-BENZ BM 164 (M-Class) (07/05-09/09)

Tie rod end

016 020 0049

Notes

Length [mm]	Front Axle Left Front Axle Right 180
Thread Measurement 1	M14x1,5
Thread Measurement 2	M16x1,5



New applications

MERCEDES-BENZ BM 166 (GLE) (03/15--)

Tie rod end

016 030 0000

Notes

Length [mm]	Front Axle Left 172
Paired article numbers	016 030 0002
Thread Measurement 1	M14x1,5
Thread Measurement 2	M14x1,5



New applications

MERCEDES-BENZ BM 172 (SIC) (01/16--)

Tie rod end

016 030 0002

Notes

Length [mm]	Front Axle Right 172
Paired article numbers	016 030 0000
Thread Measurement 1	M14x1,5
Thread Measurement 2	M14x1,5



New applications

Tie rod end

036 020 0023

Notes

Length [mm]	Front Axle Left 70
Thread Measurement 1	M14x1,5
Thread Measurement 2	M16x1,5



New applications

MERCEDES-BENZ BM 639 (Vito / Viano) (09/03-07/08)

Tie rod end

316 020 0027

Notes

Length [mm]	Front Axle Right 150
Paired article numbers	316 020 0028
Thread Measurement 1	M14x1,5
Thread Measurement 2	M14x1,5



New applications

BMW 2 (F22,F23) (10/13--)

Tie rod end

316 020 0028

Notes

Length [mm]	Front Axle Left
Paired article numbers	150
Thread Measurement 1	316 020 0027
Thread Measurement 2	M14x1,5
	M14x1,5



New applications

BMW 2 (F22,F23) (10/13--)

Ball joint

11-16 010 0000

Notes

Thread Size

Front Axle Left
Front Axle Right
Lower
M14x1,5



New applications

CITROËN Berlingo I (07/96-12/07)
DS DS 4 (07/15--)

DS DS 5 (04/15--)

Ball joint

11-16 010 0004

Notes

Thread Size

Front Axle Left
Front Axle Right
Lower
M18x1,5
with accessories



New applications

FIAT Ducato (244) (04/02-07/06)

Ball joint

11-16 010 0013

Notes

Front Axle Left
Front Axle Right
Lower
with accessories



New applications

CITROËN DS3 (11/09--)
DS DS 3 (04/15--)

PEUGEOT 208 (03/12--)

Ball joint

11-16 010 0017

Notes

Front Axle Left
Front Axle Right
Lower
with accessories



New applications

CITROËN C Elyse (11/12--)
CITROËN C4 Cactus (09/14--)
DS DS 3 (04/15--)

PEUGEOT 2008 (03/13--)
PEUGEOT 208 (03/12--)
PEUGEOT 301 (11/12--)

Ball joint



116 010 0012/HD

Notes

Hole Pitch 1/ Hole Pitch 2
Thread Size

Reinforced Version
Front Axle Left
Front Axle Right
Lower
80 mm
M14x1,5
with accessories



New applications

VW Transporter VI (04/15--)

Ball joint



116 010 0013/HD

Notes

Hole Pitch 1/ Hole Pitch 2
Thread Size

Reinforced Version
Front Axle Left
Front Axle Right
Lower
77 mm
M14x1,5
with accessories



New applications

VW Transporter VI (04/15--)

Ball joint

116 010 0015

Notes

Paired article numbers
Thread Size

Front Axle Left
Lower
116 010 0016
M12x1,5



New applications

VW Bora V (Mex) (01/07--)

VW Passat (A32) (04/11-12/14)

Ball joint

116 010 0016

Notes

Paired article numbers
Thread Size

Front Axle Right
Lower
116 010 0015
M12x1,5



New applications

VW Bora V (Mex) (01/07--)

VW Passat (A32) (04/11-12/14)

Ball joint

116 010 0022

Notes

Paired article numbers
Thread Measurement 1

Front Axle Left
116 010 0023
M12x1,5
with accessories



New applications

AUDI TT (8S) (09/14--)

Ball joint

116 010 0023

Notes

Paired article numbers
Thread Measurement 1

Front Axle Right
116 010 0022
M12x1,5
with accessories



New applications

AUDI TT (8S) (09/14--)

Ball joint

316 010 0002

Notes

Thread Size

Front Axle Left
Front Axle Right
M14x1,5
with accessories



New applications

BMW X5 (E70) (02/07-03/10)

Control arm



016 050 0031/HD

Notes

Paired article numbers

Reinforced Version
Front
Front Axle Left
Lower
016 050 0032/HD
Aluminium
Control Arm
with rubber mounting



New applications

MERCEDES-BENZ BM 172 (SIC) (01/16--)

MERCEDES-BENZ BM 212 (E-Class) (01/09-08/11)


Control arm



016 050 0032/HD

Notes

Reinforced Version
Front
Front Axle Right
Lower
Paired article numbers
016 050 0031/HD
Aluminium
Control Arm
with rubber mounting



New applications

MERCEDES-BENZ BM 172 (SIC) (01/16--)

MERCEDES-BENZ BM 212 (E-Class) (01/09-08/11)

Control arm

016 050 0033

Notes

Replace in pairs only
Front
Front Axle Right
Lower
Paired article numbers
016 050 0034
Aluminium
Control Arm
with rubber mounting



New applications

MERCEDES-BENZ BM 231 (SL) (01/12--)

Control arm

016 050 0034

Notes

Replace in pairs only
Front
Front Axle Left
Lower
Paired article numbers
016 050 0033
Aluminium
Control Arm
with rubber mounting



New applications

MERCEDES-BENZ BM 231 (SL) (01/12--)

Control arm

016 050 0066

Notes

Paired article numbers

Front Axle Left
Lower
Rear
016 050 0067
Aluminium
Control Arm
with ball joint
with rubber mounting



New applications

MERCEDES-BENZ BM 172 (SIC) (01/16--)

Control arm

016 050 0067

Notes

Paired article numbers

Front Axle Right
Lower
Rear
016 050 0066
Aluminium
Control Arm
with ball joint
with rubber mounting



New applications

MERCEDES-BENZ BM 172 (SIC) (01/16--)

Control arm



116 050 0002/HD

Notes

Paired article numbers

Reinforced Version
Front Axle Left
116 050 0003/HD
Control Arm
Sheet Steel
with rubber mounting



New applications

AUDI A3 (8V1, 8VS, 8V7, 8PA) (04/12--)
VW Gol III

VW Golf VII (08/12--)

Control arm



116 050 0003/HD

Notes

Paired article numbers

Reinforced Version
Front Axle Right
116 050 0002/HD
Control Arm
Sheet Steel
with rubber mounting



New applications

AUDI A3 (8V1, 8VS, 8V7, 8PA) (04/12--)

VW Gol III

Control arm

116 050 0017

Notes

Front Axle Left
Front Axle Right
Upper
Aluminium
Control Arm
with ball joint
with rubber mounting



New applications

AUDI Q7 (4M) (06/15--)

Control arm

116 050 0017/S

Notes

Front Axle Left
Front Axle Right
Upper
Aluminium
Control Arm
with accessories
with ball joint
with rubber mounting



New applications

AUDI Q7 (4M) (06/15--)

Control arm



116 050 0032/HD

Notes

Paired article numbers

Reinforced Version
Front Axle Left
116 050 0033/HD
Cast Steel
Control Arm
with rubber mounting



New applications

VW Gol III

Control arm



116 050 0033/HD

Notes

Paired article numbers

Reinforced Version
Front Axle Right
116 050 0032/HD
Cast Steel
Control Arm
with rubber mounting



New applications

VW Gol III

Control arm

116 050 0092

Notes

Front Axle Left
Front Axle Right
Aluminium
for control arm
with rubber mounting
without ball joint



New applications

AUDI TT (8S) (09/14-)

Control arm

116 050 0096

Notes

Paired article numbers

Front Axle Left
Lower
116 050 0097
Aluminium
Control Arm
with ball joint
with rubber mounting



New applications

AUDI Q7 (4M) (06/15--)

Control arm

116 050 0096/S

Notes

Paired article numbers

Front Axle Left
Lower
116 050 0097/S
Aluminium
Control Arm
with accessories
with ball joint
with rubber mounting



New applications

AUDI Q7 (4M) (06/15--)

Control arm

116 050 0097

Notes

Paired article numbers

Front Axle Right
Lower
116 050 0096
Aluminium
Control Arm
with ball joint
with rubber mounting



New applications

AUDI Q7 (4M) (06/15--)

Control arm

116 050 0097/S

Notes

Paired article numbers

Front Axle Right
Lower
116 050 0096/S
Aluminium
Control Arm
with accessories
with ball joint
with rubber mounting



New applications

AUDI Q7 (4M) (06/15--)

Control arm

116 050 0137

Notes

Paired article numbers

Front Axle Left
Lower
116 050 0138
Aluminium
Control Arm
with ball joint
with rubber mounting



New applications

AUDI TT (8S) (09/14--)

Control arm

116 050 0138

Notes

Paired article numbers

Front Axle Right
Lower
116 050 0137
Aluminium
Control Arm
with ball joint
with rubber mounting



New applications

AUDI TT (8S) (09/14--)

Control arm



116 050 0181/HD

Notes

Paired article numbers

Reinforced Version
Front Axle Left
116 050 0182/HD
Control Arm
Sheet Steel
with ball joint
with rubber mounting



New applications

VW Bora V (Mex) (01/07--)

VW Gol III

Control arm



116 050 0182/HD

Notes

Paired article numbers

Reinforced Version
Front Axle Right
116 050 0181/HD
Control Arm
Sheet Steel
with ball joint
with rubber mounting



New applications

VW Bora V (Mex) (01/07--)

VW Gol III

Control arm



316 050 0007/HD

Notes

Length [mm]

Paired article numbers

Reinforced Version
Front
Front Axle Left
600
316 050 0008/HD
Control Arm
Steel
with rubber mounting



New applications

BMW X5 (E70) (02/07-03/10)

Control arm



316 050 0008/HD

Notes

	Reinforced Version
	Front
	Front Axle Right
Length [mm]	600
Paired article numbers	316 050 0007/HD
	Control Arm
	Steel
	with rubber mounting



New applications

BMW X5 (E70) (02/07-03/10)

Control arm bushing

014 610 0013

Notes

	Front Axle Left
	Front Axle Right
	Lower
Height [mm]	80
Inner diameter [mm]	15
Outer diameter [mm]	53



New applications

MERCEDES-BENZ BM 172 (SLK) (02/11--)

Control arm bushing

034 035 0035

Notes

	inner
	Lower
	Rear Axle Left
	Rear Axle Right
Height [mm]	75
Inner diameter [mm]	15
Outer diameter [mm]	54



New applications

MERCEDES-BENZ BM 639 (Vito / Viano) (09/03-07/08)

Control arm bushing



100 407 0070/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
	Upper
Height [mm]	40
Inner diameter [mm]	10
Outer diameter [mm]	47



New applications

AUDI A6 (4G2, 4G5, C7) (11/10-05/13)

Control arm bushing

100 407 0086

Notes

	Front
	Front Axle Left
	Front Axle Right
	Lower
Height [mm]	54
Inner diameter [mm]	12
Outer diameter [mm]	40



New applications

VW Bora V (Mex) (01/07--)
VW Gol III

VW Passat (A32) (04/11-12/14)

Control arm bushing



100 610 0003/HD

Notes

	Reinforced Version
	Front
	Front Axle Left
	Front Axle Right
	Lower
	Outer
Height [mm]	45
Inner diameter [mm]	12
Outer diameter [mm]	44



New applications

AUDI A6 (4G2, 4G5, C7) (11/10-05/13)

Control arm bushing

100 610 0011

Notes

	Front
	Front Axle Left
	Front Axle Right
	Lower
Height [mm]	60
Inner diameter [mm]	14
Outer diameter [mm]	40



New applications

AUDI Q7 (4M) (06/15--)

Control arm bushing

100 610 0012

Notes

	Front Axle Left
	Front Axle Right
	Lower
	Outer
Height [mm]	74
Inner diameter [mm]	14
Outer diameter [mm]	47



New applications

AUDI Q7 (4M) (06/15--)

Control arm bushing

100 610 0015

Notes

	Front Axle Left
	Front Axle Right
	Upper
Height [mm]	43
Inner diameter [mm]	10
Outer diameter [mm]	40
	Rubber-metal Bearing



New applications

AUDI Q7 (4M) (06/15--)

Control arm bushing



100 610 0024/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
	Lower
	Rear
Height [mm]	60
Inner diameter [mm]	14
Outer diameter [mm]	72



New applications

AUDI Q7 (4M) (06/15--)

Control arm bushing

100 610 0034

Notes

	Front Axle Left
	Front Axle Right
	Rear
Height [mm]	50
Inner diameter [mm]	14
Outer diameter [mm]	64



New applications

VW Golf VI (5K1, 517, AJ5) (10/08-11/13)

VW Passat (A32) (04/11-12/14)

Control arm bushing



300 311 2104/HD

Notes

	Reinforced Version
	Front
	Front Axle Left
	Front Axle Right
Height [mm]	63
Inner diameter [mm]	14
Outer diameter [mm]	66



New applications

BMW X5 (E70) (02/07-03/10)

Control arm bushing

300 311 2107

Notes

	Front Axle Left
	Front Axle Right
	Rear
Height [mm]	52
Inner diameter [mm]	12
Outer diameter [mm]	47



New applications

BMW 1 (F20, F21) (11/10--)

BMW 3 (F30, F31) (10/11--)

Mount, axle rod

014 035 0085

Notes

	inner
	Rear Axle Left
	Rear Axle Right
	Upper
Height [mm]	38
Inner diameter [mm]	12
Outer diameter [mm]	38



New applications

MERCEDES-BENZ BM 205 (C-Class) (12/13--)


Mount, control arm



100 199 0085/HD

Notes

	Reinforced Version
	Front Axle Left
Paired article numbers	100 199 0086/HD with rubber mounting



New applications

AUDI A3 (8V1, 8VS, 8V7, 8PA) (04/12--)
VW Bora V (Mex) (01/07--)

VW Gol III

Mount, control arm



100 199 0086/HD

Notes

Paired article numbers

Reinforced Version
Front Axle Right
100 199 0085/HD
with rubber mounting



New applications

AUDI A3 (8V1, 8VS, 8V7, 8PA) (04/12--)
VW Bora V (Mex) (01/07--)

VW Gol III

Mount, control arm

100 505 0014

Notes

Height [mm]
Inner diameter [mm]
Outer diameter [mm]

Rear Axle Left
Rear Axle Right
64
12
60
for drag link



New applications

VW Passat (A32) (04/11-12/14)
VW Tiguan II (02/16--)

VW Touran II (09/15--)

Mount, control arm

100 710 0010

Notes

Height [mm]
Inner diameter [mm]
Outer diameter [mm]

Outer
Rear Axle Left
Rear Axle Right
75
14
61
Rubber-metal Bearing



New applications

VW Transporter VI (04/15--)

Mount, control arm

100 710 0011

Notes

	inner
	Rear Axle Left
	Rear Axle Right
Height [mm]	75
Inner diameter [mm]	14
Outer diameter [mm]	62



New applications

VW Transporter VI (04/15--)

Mount, control arm



114 711 0000/HD

Notes

	Reinforced Version
	Rear Axle Left
	Rear Axle Right
Height [mm]	64
Inner diameter [mm]	12
Outer diameter [mm]	60



New applications

VW Passat (A32) (04/11-12/14)
VW Tiguan II (02/16--)

VW Touran II (09/15--)

Mount, stabilizer

100 411 0050/S

Notes

	Front Axle Left
	Front Axle Right
Inner diameter [mm]	16
	Kit



New applications

VW Load Up (12/14--)

Mount, stabilizer

100 411 0051/S

Notes

Inner diameter [mm]	Front Axle Left
	Front Axle Right
	17
	Kit



New applications

VW Load Up (12/14--)

Mount, wheel bearing housing

016 010 6313

Notes

Height [mm]	Lower
	Outer
	Rear Axle Left
	Rear Axle Right
Inner diameter [mm]	48
Outer diameter [mm]	14
	40



New applications

MERCEDES-BENZ BM 205 (C-Class) (12/13--)

Rod/strut, suspension

016 035 0003

Notes

Length [mm]	Front
	Rear Axle Left
	Upper
	312
Paired article numbers	016 035 0004
	Pull Rod



New applications

MERCEDES-BENZ BM 205 (C-Class) (12/13--)

Rod/strut, suspension

016 035 0004

Notes

Length [mm] 312
Paired article numbers 016 035 0003
Pull Rod

Front
Rear Axle Right
Upper



New applications

MERCEDES-BENZ BM 205 (C-Class) (12/13--)


Rod/strut, suspension

016 035 0005

Notes

Length [mm] 343
Paired article numbers 016 035 0006
Camber Link

Rear
Rear Axle Left
Upper



New applications

MERCEDES-BENZ BM 205 (C-Class) (12/13--)

Rod/strut, suspension

016 035 0006

Notes

Length [mm] 343
Paired article numbers 016 035 0005
Camber Link

Rear
Rear Axle Right
Upper



New applications

MERCEDES-BENZ BM 205 (C-Class) (12/13--)

Rod/strut, suspension

016 035 0014

Notes

Length [mm]
Front
Lower
Rear Axle Left
Rear Axle Right
332
Push Rod
with rubber mounting



New applications

MERCEDES-BENZ BM 205 (C-Class) (12/13--)

Rod/strut, suspension

016 035 0022

Notes

Length [mm]
Thread Size
Lower
Rear
Rear Axle Left
Rear Axle Right
257
M10x1,5
Push Rod



New applications

MERCEDES-BENZ BM 171 (SLK) (03/04-02/11)

MERCEDES-BENZ BM 209 (CLK) (06/02-03/10)

Rod/strut, suspension

016 035 0026

Notes

Length [mm]
Rear Axle Left
Rear Axle Right
257
Camber Link
without accessories



New applications

MERCEDES-BENZ BM 171 (SLK) (03/04-02/11)

MERCEDES-BENZ BM 209 (CLK) (06/02-03/10)

Rod/strut, suspension

016 035 0027

Notes

Length [mm]

Rear
Rear Axle Left
Rear Axle Right
522
Camber Link



New applications

MERCEDES-BENZ BM 166 (GLS) (11/15--)

MERCEDES-BENZ BM 166 (M-Class) (06/11--)

Rod/strut, suspension

016 039 1401

Notes

Length [mm]

Front
Lower
Rear Axle Left
Rear Axle Right
485
Aluminium
Push Rod



New applications

MERCEDES-BENZ BM 124 (12/84-07/93)

Rod/strut, suspension

016 039 1402

Notes

Length [mm]

Front
Rear Axle Left
Rear Axle Right
Upper
451
Aluminium
Pull Rod



New applications

MERCEDES-BENZ BM 124 (12/84-07/93)


Rod/strut, suspension

016 039 1403

Notes

Length [mm]

Rear
Rear Axle Left
Rear Axle Right
Upper
376
Aluminium
Camber Link



New applications

MERCEDES-BENZ BM 124 (12/84-07/93)

Shock absorber

126 623 0011

Notes

Front Axle
Gas Pressure
Suspension Strut
Twin-Tube



New applications

VW Golf V (1K1, 1K5, 5M1) (10/03-05/09)

Shock absorber

126 623 0050

Notes

Housing Diameter [mm]

Front Axle
50
Gas Pressure
Suspension Strut
Twin-Tube



New applications

VW Beetle (5C1) (04/11--)

Shock absorber

126 725 0025

Notes

Rear Axle
Bottom eye
Gas Pressure
Top pin
Twin-Tube



New applications

AUDI A4 (8EC, 8ED) (11/04-06/08)

Shock absorber

35-26 623 0000

Notes

Paired article numbers

Front Axle Right
35-26 623 0001
Gas Pressure
Suspension Strut
Twin-Tube



New applications

MAZDA 5 (CW) (09/10--)

Shock absorber

35-26 623 0001

Notes

Paired article numbers

Front Axle Left
35-26 623 0000
Gas Pressure
Suspension Strut
Twin-Tube



New applications

MAZDA 5 (CW) (09/10--)

Stabilizer link



016 060 0012/HD

Notes

	Reinforced Version
	Front Axle Right
Length [mm]	257
Paired article numbers	016 060 0013/HD
Thread Measurement 1	M12X1,5
Thread Measurement 2	M12X1,5
	Coupling Rod



New applications

MERCEDES-BENZ BM 172 (SIC) (01/16--)

Stabilizer link



016 060 0013/HD

Notes

	Front Axle Left
Length [mm]	257
Paired article numbers	016 060 0012/HD
Thread Measurement 1	M12x1,5
Thread Measurement 2	M12X1,5
	Coupling Rod



New applications

MERCEDES-BENZ BM 172 (SIC) (01/16--)

Stabilizer link

016 060 0060

Notes

	Rear Axle Left
	Rear Axle Right
Length [mm]	239,5
Thread Size	M10x1,5
	Coupling Rod



New applications

MERCEDES-BENZ BM 172 (SIC) (01/16--)

Stabilizer link

016 060 0224

Notes

	Rear Axle Left
	Rear Axle Right
Length [mm]	230
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod
	Plastic



New applications

MERCEDES-BENZ BM 220 (S-Class) (10/98-08/05)

Stabilizer link

034 032 0048

Notes

	Rear Axle Left
	Rear Axle Right
Inner diameter [mm]	11
Length [mm]	105
	Coupling Rod



New applications

MERCEDES-BENZ BM 639 (Vito / Viano) (09/03-07/08)

Stabilizer link



036 060 0000/HD

Notes

	Reinforced Version
	Front Axle Left
Length [mm]	230
Paired article numbers	036 060 0001/HD
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod
	with spanner attachment



New applications

MERCEDES-BENZ BM 639 (Vito / Viano) (09/03-07/08)

Stabilizer link



036 060 0001/HD

Notes

	Reinforced Version
	Front Axle Right
Length [mm]	230
Paired article numbers	036 060 0000/HD
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment



New applications

MERCEDES-BENZ BM 639 (Vito / Viano) (09/03-07/08)

Stabilizer link



11-16 060 0021/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	265
Thread Measurement 1	M10x1,25
Thread Measurement 2	M10x1,25
	Coupling Rod with spanner attachment



New applications

MITSUBISHI Lancer VII (08/03-10/08)

Stabilizer link

116 060 0000

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	270
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod



New applications

VW Load Up (12/14--)

Stabilizer link



116 060 0000/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	270
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod with spanner attachment



New applications

VW Load Up (12/14--)

Stabilizer link



116 060 0020/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	335
Thread Measurement 1	M12X1,5
Thread Measurement 2	M12X1,5
	Coupling Rod with spanner attachment



New applications

VW Caddy Alltrack (05/15--)
VW Caddy IV (05/15--)
VW Passat (A32) (04/11-12/14)

VW Tiguan II (02/16--)
VW Touran II (09/15--)

Stabilizer link

116 060 0023

Notes

	Rear Axle Left
	Rear Axle Right
Inner diameter [mm]	10
Length [mm]	95
Thread Measurement 1	M10x1,5
	Coupling Rod



New applications

AUDI A1 (8X1, 8XA) (05/10--)
AUDI Q3 (8U) (06/11--)

VW CC (11/11--)

Stabilizer link

116 060 0023/S

Notes

	Rear Axle Left
	Rear Axle Right
Inner diameter [mm]	10
Length [mm]	95
Thread Measurement 1	M10x1,5
Thread Measurement 2	M10x1,5
	Coupling Rod
	Kit
	with accessories



New applications

AUDI A1 (8X1, 8XA) (05/10--)
AUDI Q3 (8U) (06/11--)

VW CC (11/11--)

Stabilizer link



116 060 0024/HD

Notes

Reinforced Version
Front Axle Left
Front Axle Right
Length [mm] 260
Thread Measurement 1 M12x1,75
Thread Measurement 2 M12x1,75
Coupling Rod
with spanner attachment



New applications

VW Transporter VI (04/15--)

Stabilizer link

116 060 0027

Notes

Rear Axle Left
Rear Axle Right
Length [mm] 80
Thread Measurement 1 M10x1,5
Coupling Rod



New applications

AUDI A4 (8EC, 8ED) (11/04-06/08)

Stabilizer link



116 060 0030/HD

Notes

Reinforced Version
Rear Axle Left
Rear Axle Right
Length [mm] 241
Thread Measurement 1 M12X1,5
Coupling Rod
with spanner attachment



New references

VW 2K5 505 465 A

New applications

VW Caddy Alltrack (05/15--)

VW Caddy IV (05/15--)

Stabilizer link

116 060 0034

Notes

Length [mm] Front Axle Left
Front Axle Right
170
Aluminium
Coupling Rod
with accessories



New applications

AUDI A4 (8W2,8W5 B9) (05/15--)

Stabilizer link



15-16 060 0013/HD

Notes

Length [mm] Reinforced Version
Paired article numbers Rear Axle Right
Thread Measurement 1 116
Thread Measurement 2 15-16 060 0012/HD
Coupling Rod M12X1,5



New applications

FIAT Stilo (10/01-08/08)

Stabilizer link

16-16 060 0009

Notes

Length [mm] Front Axle Left
Thread Size Front Axle Right
73
M8x1,25
Coupling Rod



New applications

RENAULT Clio II / Thalia (02/98-02/10)

RENAULT Clio III / Modus (09/04-08/10)

Stabilizer link

18-16 060 0003

Notes

Length [mm] 146
Thread Measurement 1 M10x1,5
Thread Measurement 2 Coupling Rod



New applications

JAGUAR F-Type (10/12--)
JAGUAR XF II (09/12--)

JAGUAR XJ (351) (10/09--)

Stabilizer link



216 060 0016/HD

Notes

Length [mm] 115
Paired article numbers 216 060 0017/HD
Thread Measurement 1 M10x1,5
Thread Measurement 2 M10x1,5
Coupling Rod



New applications

ALFA ROMEO 4C (960) (03/13--)


Stabilizer link



216 060 0017/HD

Notes

Length [mm] 115
Paired article numbers 216 060 0016/HD
Thread Measurement 1 M10x1,5
Thread Measurement 2 M10x1,5
Coupling Rod



New applications

ALFA ROMEO 4C (960) (03/13--)

Stabilizer link



316 060 0001/HD

Notes

Reinforced Version
Left
Right
Length [mm]
231
Thread Measurement 1
M10x1,5
Thread Measurement 2
M10x1,5
Coupling Rod
with spanner attachment



New applications

LAND ROVER Range Rover Evoque II (11/15--)

Stabilizer link



316 060 0030/HD

Notes

Reinforced Version
Front Axle Left
248
Length [mm]
Paired article numbers
316 060 0031/HD
Thread Measurement 1
M12x1,75
Thread Measurement 2
M12x1,75
Coupling Rod
with spanner attachment



New applications

BMW X5 (F15) (11/12--)

BMW X6 (F16) (08/14--)

Stabilizer link



316 060 0031/HD

Notes

Reinforced Version
Front Axle Right
248
Length [mm]
Paired article numbers
316 060 0030/HD
Thread Measurement 1
M12X1,75
Thread Measurement 2
M12X1,75
Coupling Rod
with spanner attachment



New applications

BMW X5 (F15) (11/12--)


BMW X6 (F16) (08/14--)

Stabilizer link

316 060 0036

Notes

Length [mm] 248
Paired article numbers 316 060 0037
Thread Measurement 1 M12x1,5
Thread Measurement 2 M12x1,5
Coupling Rod
for vehicles with active stabilizer



New applications

BMW X5 (F15) (11/12--)


BMW X6 (F16) (08/14--)

Stabilizer link

316 060 0037

Notes

Length [mm] 248
Paired article numbers 316 060 0036
Thread Measurement 1 M12x1,5
Thread Measurement 2 M12x1,5
Coupling Rod
for vehicles with active stabilizer



New applications

BMW X5 (F15) (11/12--)

BMW X6 (F16) (08/14--)

Stabilizer link



316 060 0042/HD

Notes

Length [mm] 136
Paired article numbers 316 060 0043/HD
Thread Measurement 1 M10x1,5
Thread Measurement 2 M10x1,5
Coupling Rod
with spanner attachment



New applications

BMW 2 (F22,F23) (10/13--)

BMW i8 (03/14--)

BMW 4 (F32, F33, F36) (07/13--)

Stabilizer link



316 060 0043/HD

Notes

Reinforced Version
Rear Axle Right
136
316 060 0042/HD
M10x1,5
M10x1,5
Coupling Rod
with spanner attachment



New applications

BMW 2 (F22,F23) (10/13--)
BMW 4 (F32, F33, F36) (07/13--)

BMW i8 (03/14--)

Strut mount

100 513 0008

Notes

Rear Axle
without ball bearing



New applications

VW Beetle (5C1) (04/11--)
VW Eos (03/06-11/10)
VW Golf IV (1J1, 1J5) (08/97-06/06)

VW Passat (3C_) (03/05-10/11)
VW Sharan (7N) (05/10-05/12)
VW Tiguan (09/07-08/09)

Strut mount

100 513 0010

Notes

Rear Axle
Round
without ball bearing



New applications

VW Sharan (7N) (05/10-05/12)

VW Tiguan (09/07-08/09)