

### Wiper Blade

**029 600 2471**

#### Notes

Length [in]	Front
Length [mm]	24
	600
	Beam wiper blade
	Kit
	with integrated washer-fluid jet

#### References

DAF	1954 744
RENAULT TRUCKS	50 01 865 593



#### Application info

DAF LF 45 (01/01--)	VOLVO FL (03/00--)
DAF LF 55 (01/01--)	VOLVO FL II (05/06--)
RENAULT TRUCKS Midlum (01/00--)	

### Brake disc

**12-35 523 0005**

#### Notes

Brake Disc Thickness [mm]	Rear Axle
Centering Diameter [mm]	34
Height [mm]	154
Minimum thickness [mm]	118
Number of Holes	30
Outer diameter [mm]	10
	335
	Internally Vented

#### References

MAN	81.50803.0062
-----	---------------



#### Application info

MAN L 2000 (10/93-07/97)

MAN TGL (04/05--)

### Brake disc

**14-35 521 0004**

#### Notes

Brake Disc Thickness [mm]	Front Axle
Brake System	44
Centering Diameter [mm]	WABCO 1600-V-G
Height [mm]	155
Minimum thickness [mm]	128
Number of Holes	40
Outer diameter [mm]	10
	375
	Internally Vented

#### References

DAF	AMPA014
MERITOR	MBR5049



#### Application info

DAF 55 (11/95-12/00)

### Brake disc

**16-35 521 0005**

#### Notes

Bolt Hole Circle Ø [mm]	Front Axle
Brake Disc Thickness [mm]	144
Brake System	45
Brake System	WABCO PAN19-2
Centering Diameter [mm]	MERITOR C-LISA
Height [mm]	117
Minimum thickness [mm]	85
Number of Holes	40
Outer diameter [mm]	10
	380
	Vented

#### References

MERITOR	MBR5107
RENAULT TRUCKS	50 10 260 218



#### Application info

RENAULT TRUCKS Midlum (01/00--)

### Brake disc

**16-35 521 0006**

#### Notes

Bolt Hole Circle Ø [mm]	Front Axle
Brake Disc Thickness [mm]	144
Brake System	45
Brake System	WABCO PAN-19-2
Height [mm]	MERITOR C LISA
Minimum thickness [mm]	99
Number of Holes	38
Outer diameter [mm]	10
	375
	Vented

#### References

MERITOR	NSX1169.20
RENAULT TRUCKS	MBR5119
	50 10 525 014



#### Application info

RENAULT TRUCKS Midlum (01/00--)

### Brake disc

**16-35 521 0007**

#### Notes

	Front Axle
Bolt Hole Circle Ø [mm]	245
Brake Disc Thickness [mm]	30
Brake System	BREMBO 2x68
Centering Diameter [mm]	290
Height [mm]	140
Minimum thickness [mm]	27,8
Number of Holes	6
Outer diameter [mm]	322
	Vented

#### References

MERITOR	MBR5095
RENAULT TRUCKS	50 10 260 102



#### Application info

RENAULT TRUCKS Midliner (10/82-01/00)

### Brake disc

**16-35 521 0011**

#### Notes

	Front Axle
Bolt Hole Circle Ø [mm]	142
Brake Disc Thickness [mm]	45
Centering Diameter [mm]	111
Height [mm]	119
Minimum thickness [mm]	37
Number of Holes	10
Outer diameter [mm]	375
	Internally Vented

#### References

RENAULT TRUCKS	50 10 598 305
VOLVO	20700509



#### Application info

RENAULT TRUCKS Midlum (01/00--)

VOLVO FL II (05/06--)

### Brake disc

**16-35 521 0012**

#### Notes

	Front Axle
	Rear Axle
Bolt Hole Circle Ø [mm]	245
Brake Disc Thickness [mm]	34
Centering Diameter [mm]	194
Height [mm]	137
Minimum thickness [mm]	28
Number of Holes	6
Outer diameter [mm]	330
	Internally Vented

#### References

RENAULT TRUCKS	50 10 598 304
----------------	---------------



#### Application info

RENAULT TRUCKS Midlum (01/00--)

### Brake disc

**16-35 521 0013**

#### Notes

	Front Axle
Brake Disc Thickness [mm]	30
Centering Diameter [mm]	170
Height [mm]	134,8
Minimum thickness [mm]	27
Number of Holes	6
Outer diameter [mm]	303,5
	Internally Vented

#### References

MERITOR	MBR5109
RENAULT TRUCKS	50 10 216 931



#### Application info

RENAULT TRUCKS Midliner (10/82-01/00)

### Brake disc

**16-35 523 0002**

#### Notes

Bolt Hole Circle Ø [mm]	Rear Axle
Brake Disc Thickness [mm]	275
Brake System	45
Centering Diameter [mm]	WABCO PAN 19-2
Height [mm]	275
Minimum thickness [mm]	166
Number of Holes	38
Outer diameter [mm]	8
	375
	Vented
	without bolts

#### References

MERITOR	MBR5115
RENAULT TRUCKS	50 10 525 362



#### Application info

RENAULT TRUCKS Midlum (01/00--)

### Brake disc

**16-35 523 0003**

#### Notes

Bolt Hole Circle Ø [mm]	Rear Axle
Brake Disc Thickness [mm]	355
Brake System	45
Brake System	MERITOR C LISA
Centering Diameter [mm]	WABCO PAN 19-2
Height [mm]	262
Minimum thickness [mm]	167
Number of Holes	38
Outer diameter [mm]	10
	375
	Vented

#### References

MERITOR	MBR5080
RENAULT TRUCKS	50 10 525 364



#### Application info

RENAULT TRUCKS Midlum (01/00--)

### Brake disc

**16-35 523 0006**

#### Notes

Brake Disc Thickness [mm]	Front Axle
Brake System	34
Centering Diameter [mm]	WABCO PAN17
Height [mm]	95
Minimum thickness [mm]	80
Number of Holes	28
Outer diameter [mm]	10
	330
	Internally Vented

#### References

MERITOR	MBR5117
RENAULT TRUCKS	50 10 422 262



#### Application info

RENAULT TRUCKS Midlum (01/00--)

VOLVO FL II (05/06--)

### Brake disc

**235 521 0010**

#### Notes

Bolt Hole Circle Ø [mm]	Front Axle
Brake Disc Thickness [mm]	Rear Axle
Centering Diameter [mm]	240
Height [mm]	37
Minimum thickness [mm]	210
Number of Holes	154
Outer diameter [mm]	37
	12
	432
	Internally Vented

#### References

IVECO	0299 5812
MERITOR	MBR6037



#### Application info

IVECO Stralis (02/02--)

### Brake disc

**235 521 0011**

#### Notes

Brake Disc Thickness [mm]	Front Axle
Centering Diameter [mm]	45
Height [mm]	225
Minimum thickness [mm]	151,3
Number of Holes	37
Outer diameter [mm]	8
	377
	Internally Vented
	with bolts

#### References

IVECO	0299 2636
MERITOR	MBR6028



### Application info

IVECO EuroCargo (01/91-12/00)

### Brake disc

**235 521 0012**

#### Notes

	Front Axle
	Rear Axle
Bolt Hole Circle Ø [mm]	144
Brake Disc Thickness [mm]	45
Centering Diameter [mm]	113
Height [mm]	106
Minimum thickness [mm]	37
Number of Holes	14
Outer diameter [mm]	377
	Internally Vented

#### References

IVECO	0299 5702
-------	-----------



### Application info

IVECO EuroCargo (01/91-12/00)



### Brake disc

**235 523 0004**

#### Notes

	Rear Axle
Bolt Hole Circle Ø [mm]	205
Brake Disc Thickness [mm]	30
Centering Diameter [mm]	165
Height [mm]	128,5
Minimum thickness [mm]	27,8
Number of Holes	6
Outer diameter [mm]	304
	Internally Vented

#### References

IVECO	0299 6010
-------	-----------



#### Application info

IVECO EuroCargo (01/91-12/00)

### Brake disc

**235 523 0005**

#### Notes

	Rear Axle
Brake Disc Thickness [mm]	30
Centering Diameter [mm]	215
Height [mm]	134
Minimum thickness [mm]	27
Number of Holes	8
Outer diameter [mm]	322
	Internally Vented

#### References

IVECO	0299 6009
-------	-----------



#### Application info

IVECO EuroCargo (01/91-12/00)

### Brake disc

**36-15 523 0049**

#### Notes

	Rear Axle
Bolt Hole Circle Ø [mm]	127
Brake Disc Thickness [mm]	16
Centering Diameter [mm]	108
Height [mm]	62,2
Minimum thickness [mm]	13
Number of Holes	6
Outer diameter [mm]	280
Wheel Bolt Bore Ø [mm]	10,8
	Vented

#### References

NISSAN	43206MB600
RENAULT TRUCKS	5001874635



#### Application info

RENAULT TRUCKS Maxity (03/07--)

### Sensor, compressed-air system

534 899 0005

#### Notes

#### References

VOLVO 20382505



#### Application info

VOLVO B 12 (01/92--)	VOLVO FH 16 (08/93-12/02)
VOLVO F 10 (08/77-12/94)	VOLVO FL 10 (09/85-09/98)
VOLVO F 12 (08/77-12/94)	VOLVO FL 12 (09/95-09/98)
VOLVO F 16 (01/88-12/94)	VOLVO FL 7 (09/85-09/98)
VOLVO FH 12 (08/93--)	VOLVO N 10 (01/73-12/89)

### Sensor, compressed-air system

534 899 0010

#### Notes

#### References

VOLVO 20382511



#### Application info

VOLVO F 12 (08/77-12/94)	VOLVO FL 12 (09/95-09/98)
VOLVO FH 12 (08/93--)	VOLVO FL 7 (09/85-09/98)
VOLVO FH 16 (08/93-12/02)	VOLVO NH 12 (05/99--)
VOLVO FL 10 (09/85-09/98)	

### Sensor, compressed-air system

534 899 0013

#### Notes

#### References

VOLVO 20382500



#### Application info

VOLVO FH 12 (08/93--)

### Sensor, coolant level

12-34 223 0002

#### Notes

Length [mm]	127
Number of Poles	2
Operating voltage [V]	24
Active sensor	

#### References

MAN	81.27421.0232
NEOPLAN	81.27421.0232



#### Application info

MAN F 2000 (01/94-12/95)  
MAN LION'S COACH (09/95--)  
MAN LION'S STAR (01/93-09/96)

MAN NL  
MAN TGA (04/00--)

### Switch, splitter gearbox

034 026 0038

#### Notes

Number of connectors	2
Voltage [V]	24

#### References

MERCEDES-BENZ	001 545 73 09
	002 545 01 09



#### Application info

MERCEDES-BENZ ACTROS (04/96-10/03)  
MERCEDES-BENZ AXOR (01/02-10/04)

MERCEDES-BENZ AXOR 2 (10/04-10/05)

### Switch, splitter gearbox

834 899 0013

#### Notes

Number of connectors	2
Voltage [V]	24

#### References

DAF	1232373
SCANIA	1 423 977
VOLVO	3197871



#### Application info

SCANIA P,G,R,T - series (03/04-10/05)

### Air filter

**034 321 0016**

#### Notes

Height [mm]	258
Inner diameter [mm]	10,5
Inner diameter [mm]	167
Outer diameter [mm]	327
Outer diameter [mm]	386
	Filter Insert

#### References

FORD	5011 334
GENERAL MOTORS	93152006
MERCEDES-BENZ	001 094 83 04



#### Application info

MERCEDES-BENZ NG (08/73-09/96)

MERCEDES-BENZ O 305 (01/69-05/87)

### Air filter

**16-34 321 0003**

#### Notes

Height [mm]	465,5
Inner diameter [mm]	186
Outer diameter [mm]	312
	Filter Insert

#### References

RENAULT TRUCKS	50 10 230 841
VOLVO	20732726



#### Application info

RENAULT TRUCKS Magnum (09/90-04/06)  
RENAULT TRUCKS Midlum (01/00--)

RENAULT TRUCKS Premium (04/96--)  
VOLVO FE (05/06--)

### Air filter

**534 041 0002**

#### Notes

Height [mm]	416
Inner diameter [mm]	203
Outer diameter [mm]	332
	Filter Insert

#### References

VOLVO	1665898
-------	---------



#### Application info

VOLVO FH 12 (08/93--)

### Cylinder head gasket


034 001 0030

#### Notes

#### References

MERCEDES-BENZ

442 016 03 20



#### Application info

MERCEDES-BENZ MK (12/87-09/96)

MERCEDES-BENZ NG (08/73-09/96)

MERCEDES-BENZ O 303 (10/74-09/92)

MERCEDES-BENZ SK (07/87-09/96)

### Cylinder head gasket


034 001 0060

#### Notes

#### References

MERCEDES-BENZ

460 016 04 20



#### Application info

MERCEDES-BENZ AXOR (01/02-10/04)

MERCEDES-BENZ AXOR 2 (10/04-10/05)

MERCEDES-BENZ INTEGRO (O 550) (01/06--)

### Cylinder head gasket


034 001 0067

#### Notes

#### References

MERCEDES-BENZ

422 016 04 20



#### Application info

MERCEDES-BENZ MK (12/87-09/96)

MERCEDES-BENZ SK (07/87-09/96)

### Cylinder head gasket


034 001 0068

#### Notes

#### References

MERCEDES-BENZ

906 016 12 20



#### Application info

MERCEDES-BENZ ATEGO (01/98-10/04)  
MERCEDES-BENZ ATEGO 2 (10/04--)  
MERCEDES-BENZ AXOR (01/02-10/04)  
MERCEDES-BENZ AXOR 2 (10/04-10/05)

MERCEDES-BENZ ECONIC (01/98--)  
MERCEDES-BENZ TOURINO (O 510) (10/03--)  
MERCEDES-BENZ TOURO (O 500) (10/01--)

### Cylinder head gasket


034 001 0069

#### Notes

#### References

MERCEDES-BENZ

904 016 13 20



#### Application info

MERCEDES-BENZ ATEGO (01/98-10/04)  
MERCEDES-BENZ ATEGO 2 (10/04--)

MERCEDES-BENZ LK/LN2 (01/84-12/98)

### Cylinder head gasket


12-34 001 0010

#### Notes

#### References

MAN  
NEOPLAN

51.03901.0382  
51.03901.0382



#### Application info

MAN E 2000 (05/00--)  
MAN F 2000 (01/94-12/95)  
MAN TGA (04/00--)  
MAZ-MAN \* (08/77-12/99)  
NEOPLAN Cityliner (04/73-09/93)

NEOPLAN Euroliner  
NEOPLAN Skyliner (01/79-09/93)  
NEOPLAN Starliner (09/96--)  
NEOPLAN Tourliner (01/03--)  
NEOPLAN Trendliner (09/04--)

### Cylinder head gasket


12-34 001 0012

#### Notes

Length [mm]	220
Thickness [mm]	1,1
Width [mm]	157

#### References

MAN	51.03901.0356
NEOPLAN	51.03901.0356



#### Application info

MAN F 90 (07/86-12/97)  
MAN F 90 Unterflur (07/86-05/94)  
MAN M 90 (08/88-06/96)  
MAN NG  
MAN NL  
MAN SG (07/76-06/97)  
MAN SÜ

NEOPLAN Centroliner  
NEOPLAN Cityliner (04/73-09/93)  
NEOPLAN Megashuttle (01/94--)  
NEOPLAN Skyliner (01/79-09/93)  
NEOPLAN Spaceliner (09/90-09/93)  
NEOPLAN Starliner (09/96--)  
NEOPLAN Transliner (12/88-09/93)

### Cylinder head gasket

234 001 0001

#### Notes

#### References

IVECO	6131 9085
-------	-----------



#### Application info

IVECO EuroStar (01/93-02/02)  
IVECO EuroTech MP (01/92-12/96)  
IVECO EuroTech MT (01/92-08/98)

IVECO EuroTrakker (01/93-11/04)  
IVECO M (06/82-12/92)  
IVECO TurboTech (01/90-12/92)


### Cylinder head gasket

834 001 0004

#### Notes

#### References

SCANIA	1 403 587
--------	-----------



#### Application info

SCANIA 3 - series (01/88-12/96)

SCANIA 4 - series (05/95--)



### Cylinder head gasket

834 001 0006

#### Notes

Thickness [mm] 1  
Steel Elastomer

#### References

SCANIA 1 377 039



#### Application info

SCANIA 4 - series (05/95--)

### Cylinder head gasket

834 001 0007

#### Notes

Thickness [mm] 1  
MVQ (Silicone Elastomer)

#### References

SCANIA 1 403 608



#### Application info

SCANIA 4 - series (05/95--)

SCANIA P,G,R,T - series (03/04-10/05)

### Gasket set, cylinder head


16-34 900 0002

#### Notes

Steel  
without valve stem seals

#### References

RENAULT TRUCKS 50 01 830 802



#### Application info

RENAULT TRUCKS C (10/82-10/98)  
RENAULT TRUCKS Magnum (09/90-04/06)

RENAULT TRUCKS Major (05/91-10/96)


### Gasket set, cylinder head

834 001 0001

#### Notes

#### References

SCANIA 0 551 484



#### Application info

SCANIA 2 - series (05/80-12/88)  
SCANIA 3 - series (01/88-12/96)

SCANIA 3 - series bus (01/90-12/97)  
SCANIA 4 - series (05/95--)

### Gasket, exhaust manifold

12-34 900 0005

#### Notes

#### References

MAN 51.08901.0104  
NEOPLAN 51.08901.0104



#### Application info

MAN E 2000 (05/00--)  
MAN F 2000 (01/94-12/95)  
MAN LION'S COACH (09/95--)  
MAN LION'S STAR (01/93-09/96)  
MAN TGA (04/00--)

NEOPLAN Cityliner (04/73-09/93)  
NEOPLAN Euroliner  
NEOPLAN Starliner (09/96--)  
NEOPLAN Tourliner (01/03--)  
NEOPLAN Trendliner (09/04--)

### Gasket, exhaust manifold

14-34 900 0001

#### Notes

#### References

DAF 1639810



#### Application info

DAF CF 85 (01/01--)

### Gasket, exhaust manifold

16-34 900 0005

#### Notes

#### References

RENAULT TRUCKS  
VOLVO

74 08 170 959  
8170959



#### Application info

RENAULT TRUCKS Magnum (09/90-04/06)  
VOLVO B 12 (01/92--)  
VOLVO FH (09/05--)

VOLVO FH 12 (08/93--)  
VOLVO FM (09/05--)

### Gasket, exhaust manifold

534 900 0001

#### Notes

#### References

VOLVO

479107



#### Application info

VOLVO F 10 (08/77-12/94)  
VOLVO FL 10 (09/85-09/98)

VOLVO N 10 (01/73-12/89)

### Gasket, exhaust manifold

534 900 0003

#### Notes

#### References

VOLVO

3165748  
8130038



#### Application info

VOLVO F 16 (01/88-12/94)

VOLVO FH 16 (08/93-12/02)

### Gasket, exhaust manifold

834 001 0017

#### Notes

#### References

SCANIA 1 109 288



#### Application info

SCANIA 3 - series (01/88-12/96)  
SCANIA 3 - series bus (01/90-12/97)

SCANIA 4 - series (05/95--)

### Gasket, exhaust manifold

834 900 0008

#### Notes

#### References

SCANIA 0 364 791



#### Application info

SCANIA 2 - series (05/80-12/88)  
SCANIA 3 - series (01/88-12/96)

SCANIA 4 - series (05/95--)

### Gasket, exhaust pipe

14-34 900 0002

#### Notes

Hole Arrangement / Number 3

#### References

DAF 1316772



#### Application info

DAF 75 CF (02/98-12/00)  
DAF 85 CF (02/98-12/00)  
DAF 95 XF (01/97-09/02)

DAF CF 75 (01/01--)  
DAF CF 85 (01/01--)  
DAF XF 95 (09/02-12/06)

### Gasket, exhaust pipe

16-34 001 0008

#### Notes

Hole Arrangement / Number 4

#### References

RENAULT TRUCKS 50 10 477 438



#### Application info

RENAULT TRUCKS Kerax (06/97-01/01)

RENAULT TRUCKS Premium (04/96--)

### Gasket, intake manifold

034 001 0051

#### Notes

#### References

MERCEDES-BENZ 457 142 01 80  
SETRA 457 142 01 80



#### Application info

MERCEDES-BENZ AXOR (01/02-10/04)  
MERCEDES-BENZ AXOR 2 (10/04-10/05)  
MERCEDES-BENZ CITARO (O 530) (01/98--)  
MERCEDES-BENZ CONECTO (O 345) (11/01--)  
MERCEDES-BENZ INTEGRO (O 550) (01/06--)

MERCEDES-BENZ O 403 (09/03--)  
MERCEDES-BENZ TOURISMO (O 350) (08/95--)  
MERCEDES-BENZ TOURO (O 500) (10/01--)  
SETRA Series 400 (10/01--)

### Gasket, intake manifold

12-34 900 0006

#### Notes

#### References

MAN 51.08902.0194  
NEOPLAN 51.08902.0194



#### Application info

MAN E 2000 (05/00--)  
MAN F 2000 (01/94-12/95)  
MAN HOCL (01/85-05/09)  
MAN SÜ  
MAN TGA (04/00--)  
MAN ÜL (09/89-09/96)

NEOPLAN Cityliner (04/73-09/93)  
NEOPLAN Euroliner  
NEOPLAN Starliner (09/96--)  
NEOPLAN Tourliner (01/03--)  
NEOPLAN Trendliner (09/04--)

### Gasket, intake manifold

834 001 0016

#### Notes

#### References

SCANIA

1 384 555



#### Application info

SCANIA 3 - series (01/88-12/96)

SCANIA 3 - series bus (01/90-12/97)

SCANIA 4 - series (05/95--)

### Gasket, intake manifold

834 900 0004

#### Notes

#### References

SCANIA

1 374 338



#### Application info

SCANIA 4 - series (05/95--)

SCANIA P,G,R,T - series (03/04-10/05)

### Gasket, oil pan

14-34 038 0001

#### Notes

#### References

DAF

1315 381



#### Application info

DAF 85 CF (02/98-12/00)

DAF 95 XF (01/97-09/02)

DAF CF 85 (01/01--)

DAF XF 95 (09/02-12/06)

### Oil filter

**034 322 0003**

#### Notes

Height [mm]	150
Inner diameter [mm]	28
Inner diameter [mm]	37
Outer diameter [mm]	83
	Filter Insert with seal

#### References

MERCEDES-BENZ	000 180 16 09
---------------	---------------



#### Application info

MERCEDES-BENZ ACCELO (05/03--)  
 MERCEDES-BENZ ATEGO (01/98-10/04)  
 MERCEDES-BENZ ATEGO 2 (10/04--)  
 MERCEDES-BENZ CITARO (O 530) (01/98--)

MERCEDES-BENZ CITO (O 520) (06/99--)  
 MERCEDES-BENZ LK/LN2 (01/84-12/98)  
 MERCEDES-BENZ UNIMOG (01/55-03/90)

### Oil pressure switch

**534 899 0011**

#### Notes

Number of Poles	2
Pressure from [bar]	0,1
Pressure to [bar]	0,2

#### References

VOLVO	20382509
-------	----------



#### Application info

VOLVO F 10 (08/77-12/94)  
 VOLVO F 12 (08/77-12/94)  
 VOLVO F 16 (01/88-12/94)  
 VOLVO FL 10 (09/85-09/98)

VOLVO FL 12 (09/95-09/98)  
 VOLVO FL 7 (09/85-09/98)  
 VOLVO N 10 (01/73-12/89)

### Valve cover gasket

**034 001 0048**

#### Notes

Thickness [mm]	2
----------------	---

#### References

MERCEDES-BENZ	366 016 03 21
---------------	---------------



#### Application info

MERCEDES-BENZ LK/LN2 (01/84-12/98)  
 MERCEDES-BENZ MK (12/87-09/96)  
 MERCEDES-BENZ NG (08/73-09/96)

MERCEDES-BENZ O 301 (02/86-05/87)  
 MERCEDES-BENZ OH Series (01/70--)  
 MERCEDES-BENZ UNIMOG (01/55-03/90)

### Valve cover gasket

034 001 0052

#### Notes

ACM (Polyacrylate)

#### References

MERCEDES-BENZ

541 016 03 21



#### Application info

MERCEDES-BENZ ACTROS (04/96-10/03)

MERCEDES-BENZ ACTROS MP2 / MP3 (10/02--)

MERCEDES-BENZ TRAVEGO (O 580) (10/99--)

### Valve cover gasket

16-34 900 0003

#### Notes

Thickness [mm]

2

#### References

RENAULT TRUCKS

00 00 771 684

50 00 694 271



#### Application info

RENAULT TRUCKS C (10/82-10/98)

RENAULT TRUCKS G (10/82-03/93)

RENAULT TRUCKS Kerax (06/97-01/01)

RENAULT TRUCKS Major (05/91-10/96)

RENAULT TRUCKS Manager (09/91-10/96)

RENAULT TRUCKS Maxter (10/92-06/97)

RENAULT TRUCKS Premium (04/96--)

RENAULT TRUCKS R (10/80-10/91)

### Valve cover gasket


834 900 0002

#### Notes

#### References

SCANIA

1 401 982



#### Application info

SCANIA 4 - series (05/95--)

SCANIA P,G,R,T - series (03/04-10/05)



### Valve cover gasket

834 900 0006


#### Notes

NBR (nitrile butadiene rubber)

#### References

SCANIA

1 369 501



#### Application info

SCANIA 2 - series (05/80-12/88)

SCANIA 3 - series (01/88-12/96)

SCANIA 4 - series (05/95--)

### Valve cover gasket

834 900 0007

#### Notes

Thickness [mm]

9,7

ACM (Polyacrylate)

#### References

SCANIA

1 411 851



#### Application info

SCANIA 4 - series (05/95--)

SCANIA P,G,R,T - series (03/04-10/05)