

Brake disc



11-15 521 0040/PD

Notes

	Front Axle
Bolt Hole Circle Ø [mm]	108
Brake Disc Thickness [mm]	28
Centering Diameter [mm]	66
Height [mm]	34,2
Minimum thickness [mm]	26
Number of Holes	4
Outer diameter [mm]	323
	Vented
	Zink flake coated

References

CITROËN	4249.L6
---------	---------



Application info

CITROËN DS3 (11/09--)

Brake disc



11-15 521 0041/PD

Notes

	Front Axle
Bolt Hole Circle Ø [mm]	108
Brake Disc Thickness [mm]	26
Centering Diameter [mm]	71
Height [mm]	48
Minimum thickness [mm]	24
Number of Holes	5
Outer diameter [mm]	283
	Vented
	Zink flake coated

References

CITROËN	9805961480
---------	------------



Application info

CITROËN C4 Grand Picasso II (09/13--)

CITROËN C4 II / DS4 (11/09--)

Brake disc

11-15 523 0012

Notes

	Rear Axle
Bolt Hole Circle Ø [mm]	108
Brake Disc Thickness [mm]	12
Centering Diameter [mm]	71,1
Height [mm]	35
Minimum thickness [mm]	10
Number of Holes	4
Outer diameter [mm]	290
Wheel Bolt Bore Ø [mm]	13
	Solid

References

CITROËN	4249.F7
---------	---------



Application info

CITROËN C4 II / DS4 (11/09--)

CITROËN DS5 (11/11--)

Brake disc

11-15 523 4008

Notes

	Rear Axle
Bolt Hole Circle Ø [mm]	108
Brake Disc Thickness [mm]	12
Centering Diameter [mm]	65
Height [mm]	74
Minimum thickness [mm]	10
Number of Holes	4
Outer diameter [mm]	268
	Solid

References



Application info

CITROËN Berlingo I (07/96-12/07)

CITROËN Berlingo II (04/08--)

CITROËN C4 I / Coupe / Grand Picasso / Picasso / Stufenheck (11/04-12/07)

CITROËN C4 II / DS4 (11/09--)

CITROËN DS5 (11/11--)

Engine mount

11-14 030 0082

Notes

Right
Hydro Bearing

References

CITROËN

9645769180
9677277380



Application info

CITROËN C4 II / DS4 (11/09--)

CITROËN DS5 (11/11--)

Axial rod



40-16 031 0002/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	221
Thread Measurement 1	M14X1,5
Thread Measurement 2	M14X1,5



References

CITROËN	16 108 176 80
---------	---------------

Application info

CITROËN C4 Grand Picasso II (09/13--)

CITROËN C4 II / DS4 (11/09--)