

Brake pad set


025 252 5118

Notes

Brake System	Front Axle
Height [mm]	MANDO
Thickness [mm]	52,7
Width [mm]	18
	132,9
	prepared for wear indicator

References

CITROËN	16 086 913 80
PEUGEOT	16 106 992 80
	16 086 913 80



Application info

CITROËN C Elyse (11/12--)	PEUGEOT 301 (11/12--)
CITROËN C4 Cactus (09/14--)	PEUGEOT 308 II (09/13--)

Drive shaft support

300 261 2701/S

Notes

Inner diameter [mm] Centre
35
with ball bearing

References

BMW 26 12 7 526 632



Application info

BMW 1 (E81, E82, E87, E88) (11/03-09/12)

BMW 3 (E90, E91, E92, E93) (01/05-05/12)

Hydraulic filter kit, A/T

100 137 0012

Notes

Manufacturer Restriction ZF
Number of mounting bores 13
Transmission Type 6HP19
Automatic Transmission, 6-speed
Kit

References

AUDI 0AT 325 429



Application info

AUDI Q7 (4L) (03/06-05/12)

ABS wheel sensor

014 800 0117

Notes

	Rear Axle Left
Cable Length [mm]	1600
Number of Poles	2
Operating voltage [V]	12
Paired article numbers	014 800 0118
Required quantity	1
	Hall Sensor

References

MERCEDES-BENZ	906 540 11 17
VW	2E0 927 748 B



Application info

MERCEDES-BENZ BM 906 (Sprinter II) (06/06--)

VW Crafter (04/06-07/11)

ABS wheel sensor

014 800 0120

Notes

	Front Axle
Length [mm]	1002
Number of Poles	2
Operating voltage [V]	12
Required quantity	2
	Hall Sensor

References

MERCEDES-BENZ	221 540 03 17
---------------	---------------



Application info

MERCEDES-BENZ BM 216 (S-Class) (05/06--)

MERCEDES-BENZ BM 221 (S-Class) (10/05-06/09)

ABS wheel sensor

014 800 0121

Notes

	Front Axle left and right
Number of Poles	2
Operating voltage [V]	12
Required quantity	2
	Hall Sensor

References

MERCEDES-BENZ	204 905 79 00
---------------	---------------



Application info

MERCEDES-BENZ BM 204 (C-Class) (01/07--)

ABS wheel sensor

114 800 0008

Notes

Number of Poles	Left Rear
Operating voltage [V]	2
Paired article numbers	12
Required quantity	114 800 0007
	1
	for vehicles with headlamp levelling
	Inductive Sensor

References

AUDI	8D0 927 807 G
------	---------------



Application info

AUDI A4 (8D2, 8D5, B5) (11/94-09/01)

ABS wheel sensor

114 800 0027

Notes

Cable Length [mm]	Rear Axle Left
Operating voltage [V]	1120
Required quantity	12
	1
	Inductive Sensor

References

VW	3B0 927 807 H
----	---------------



Application info

VW Passat (3B_) (08/96-08/05)

ABS wheel sensor

16-14 800 0019

Notes

Cable Length [mm]	Rear Axle Right
Number of Poles	1560
Operating voltage [V]	2
Paired article numbers	12
Required quantity	16-14 800 0018
	1
	for vehicles with ABS
	for vehicles without ESP
	Inductive Sensor

References

RENAULT	7700411746
---------	------------



Application info

RENAULT Clio II / Thalia (02/98-02/10)

ABS wheel sensor

314 800 0045

Notes

Cable Length [mm]	Rear Axle left and right
Operating voltage [V]	959
Required quantity	12
	2
	for vehicles with DSC
	Hall Sensor

References

BMW	34 52 6 764 610
-----	-----------------



Application info

BMW 1 (E81, E82, E87, E88) (11/03-09/12)

BMW 3 (E90, E91, E92, E93) (01/05-05/12)

ABS wheel sensor

514 800 0026

Notes

Cable Length [mm]	Rear Axle left and right
Cable Length [mm]	1900
Number of Poles	1255
Operating voltage [V]	3
Required quantity	12
	2
	Hall Sensor

References

VOLVO	9472171
-------	---------



Application info

VOLVO C/S/V 70 (11/96-10/05)

Crank position sensor

100 899 0063

Notes

Cable Length [mm]	370
Fitting Depth [mm]	46
Number of Poles	3
Operating voltage [V]	12
Resistance [Ohm]	500
	Inductive Sensor

References

AUDI	045 957 147 C
SEAT	045 957 147 C
SKODA	045 957 147 C
VW	045 957 147 C



Application info

AUDI A2 (8Z0) (02/00-08/05)
SEAT Arosa (6H) (05/97-06/04)
SEAT Ibiza IV / Cordoba (02/02-11/09)
SKODA Fabia I (08/99-03/08)
SKODA Fabia II (12/06--)

SKODA Roomster (03/06-03/10)
VW Fox/Lupo Z51 (10/03--)
VW Lupo (09/98-07/05)
VW Polo (6N_) (10/94-10/01)
VW Polo (9N_) (10/01-11/09)

Wear sensor

014 527 0006

Notes

	Front Axle
Required quantity	1
Warning Contact Length [mm]	100
	Disc Brake

References

MERCEDES-BENZ	231 905 00 14
---------------	---------------



Application info

MERCEDES-BENZ BM 222 (S-Class) (05/13--)

MERCEDES-BENZ BM 231 (SL) (01/12--)

Wear sensor

314 527 0037

Notes

	Front Axle Left
Required quantity	1
Warning Contact Length [mm]	665
	Disc Brake

References

MINI	34 35 6 865 611
------	-----------------



Application info

MINI Mini III (12/13--)

Air filter

16-12 321 0021

Notes

Height [mm]	54
Length [mm]	243
Width 2 [mm]	134
Width [mm]	190
	Filter Insert

References

MERCEDES-BENZ	415 094 03 04
RENAULT	165462862R



Application info

MERCEDES-BENZ BM 415 (Citan) (11/12--)	RENAULT Mégane II (11/02-01/11)
RENAULT Kangoo II (02/08--)	RENAULT Scénic II (06/03-04/09)

Air filter

18-12 321 0001

Notes

Height [mm]	41,5
Length [mm]	380
Width [mm]	156
	Filter Insert

References

JAGUAR	C2S51377
--------	----------



Application info

JAGUAR X-Type (06/01-12/09)

Air filter

53-12 321 0002

Notes

Height [mm]	57
Length [mm]	270
Width [mm]	182
	Filter Insert

References

LAND ROVER	LR005816
------------	----------



Application info

LAND ROVER Freelander II (10/06--)

Air filter

53-12 321 0003

Notes

Height [mm]	59
Length [mm]	290
Width 2 [mm]	180
Width [mm]	213
	Filter Insert

References

LAND ROVER	LR029078
------------	----------



Application info

LAND ROVER Discovery Sport (09/14--)
LAND ROVER Freelander II (10/06--)

LAND ROVER Range Rover Evoque (06/11--)

Breather valve

314 036 0013

Notes

with seal

References

BMW	11 12 7 799 225
-----	-----------------



Application info

BMW 3 (E46) (02/98-12/07)
BMW 5 (E60, E61) (07/03-08/10)
BMW 7 (E65, E66) (11/01-08/05)

BMW X3 (E83) (01/04-12/08)
BMW X5 (E53) (05/00--)

Breather valve

314 036 0015

Notes

with seal

References

BMW	11 12 2 249 678
	11 12 7 791 552



Application info

BMW 3 (E46) (02/98-12/07)

BMW 5 (E39) (11/95-05/04)

Breather valve

314 036 0016

Notes

with seal

References



Application info

BMW 1 (E81, E82, E87, E88) (11/03-09/12)
BMW 3 (E46) (02/98-12/07)
BMW 3 (E90, E91, E92, E93) (01/05-05/12)

BMW 5 (E60, E61) (07/03-08/10)
BMW X3 (E83) (01/04-12/08)

Crankshaft seal

100 103 1001


Notes

Inner diameter [mm]

Timing End
55
Metal Housing
Right-hand Twist
Sheet Steel
without mounting sleeve

References

AUDI	06E 103 153 E
PORSCHE	958 101 150 10
VW	06E 103 153 E



Application info

AUDI A4 (8EC, 8ED) (11/04-06/08)
AUDI A4 (8H7) (04/02-03/09)
AUDI A4 (8K2, 8K5, 8KH) (11/07--)
AUDI A5 (8F, 8T) (06/07--)
AUDI A6 (4F2, 4FH, 4F5) (05/04-08/11)
AUDI A6 (4G2, 4G5, C7) (11/10-05/13)
AUDI A7 Sportback (4GA) (10/10--)

AUDI A8 (4E) (10/02-07/10)
AUDI A8 (4H_) (11/09--)
AUDI Q5 (8R) (11/08--)
AUDI Q7 (4L) (03/06-05/12)
PORSCHE Cayenne II (06/10--)
PORSCHE Panamera (09/09--)
VW Touareg (7P5) (01/10--)

Crankshaft seal


100 103 1003

Notes

Inner diameter [mm]	Transmission End
Outer diameter [mm]	85
	131
	Left-hand Twist
	PTFE (polytetrafluoroethylene)
	Synthetic Material Housing
	with mounting sleeve

References

AUDI	036 103 171 B
SEAT	036 103 171 B
SKODA	036 103 171 B
VW	036 103 171 B



Application info

AUDI A3 (8P1, 8PA) (05/03-08/12)	VW Caddy III (2KA, 2KB) (03/04-08/10)
SEAT Ibiza IV / Cordoba (02/02-11/09)	VW Eos (03/06-11/10)
SEAT Ibiza V (6J1, 6J5, 6J8) (03/08-06/10)	VW Golf V (1K1, 1K5, 5M1) (10/03-05/09)
SEAT Leon / Toledo / Altea (1P1, 5P2, 5P5) (03/04-05/10)	VW Golf VI (5K1, 517, AJ5) (10/08-11/13)
SKODA Fabia I (08/99-03/08)	VW Jetta III (1K2) (08/05-10/10)
SKODA Fabia II (12/06--)	VW Passat (3C_) (03/05-10/11)
SKODA Octavia II (1Z_) (02/04-12/10)	VW Polo (6R_) (06/09-01/11)
SKODA Roomster (03/06-03/10)	VW Polo (9N_) (10/01-11/09)
SKODA Superb II (3T) (03/08-11/10)	VW Tiguan (09/07-08/09)
SKODA Yeti (5L) (05/09--)	VW Touran (1T1, 1T2) (02/03-05/10)

Crankshaft seal

100 103 1004

Notes

Inner diameter [mm]	Transmission End
Outer diameter [mm]	85
	131
	Left-hand Twist
	PTFE (polytetrafluoroethylene)
	Synthetic Material Housing
	with mounting sleeve

References

AUDI	030 103 171 L
SEAT	030 103 171 L
SKODA	030 103 171 L
VW	030 103 171 L



Application info

AUDI A2 (8Z0) (02/00-08/05)	VW Golf IV (1J1, 1J5) (08/97-06/06)
SEAT Ibiza IV / Cordoba (02/02-11/09)	VW Lupo (09/98-07/05)
SEAT Leon / Toledo (1M1, 1M2) (04/99-06/06)	VW New Beetle (1Y7, 9C1, 1C1) (01/98-10/10)
SKODA Fabia I (08/99-03/08)	VW Polo (9N_) (10/01-11/09)
VW Bora (1J2, 1J6) (10/98-05/05)	

Crankshaft seal

100 103 1007

Notes

Inner diameter [mm]	Transmission End
Outer diameter [mm]	85
	131
	Left-hand Twist
	PTFE (polytetrafluoroethylene)
	Synthetic Material Housing
	with mounting sleeve

References

AUDI	04L 103 171
------	-------------



Application info

AUDI A1 (8X1, 8XA) (05/10--)	VW Beetle (5C1) (04/11--)
AUDI A3 (8V1, 8VS, 8V7, 8PA) (04/12--)	VW Caddy IV (05/15--)
AUDI A5 (8F, 8T) (06/07--)	VW Golf VII (08/12--)
AUDI Q5 (8R) (11/08--)	VW Jetta IV (162) (04/10--)
AUDI TT (8S) (09/14--)	VW Passat (B8) (08/14--)
SEAT Leon (5F) (09/12--)	VW Scirocco (137) (05/08-05/11)
SKODA Octavia III (5E3/5E5) (11/12--)	

Crankshaft seal

100 103 1011

Notes

Inner diameter [mm]	Transmission End
Outer diameter [mm]	85
	131
	Aluminium Housing
	Cast Aluminium
	Left-hand Twist
	with mounting sleeve

References

AUDI	028 103 171 B
	068 103 171 F
SEAT	028 103 171 B
	068 103 171 F
SKODA	028 103 171 B
	068 103 171 F
VW	028 103 171 B
	068 103 171 F



Application info

AUDI 80 (8C, 8G7, B4) (05/91-08/00)	VW LT II (05/96-07/06)
AUDI A4 (8D2, 8D5, B5) (11/94-09/01)	VW Lupo (09/98-07/05)
AUDI A6 (4B, C5) (01/97-01/05)	VW Passat (3B_) (08/96-08/05)
SEAT Alhambra I (7V8, 7V9) (04/96-03/10)	VW Polo (6K_) (11/95-07/02)
SEAT Arosa (6H) (05/97-06/04)	VW Polo (6N_) (10/94-10/01)
SEAT Ibiza II / III / Cordoba / Inca (02/93-06/03)	VW Sharan (7M) (09/95-03/10)
SKODA Octavia I (1U_) (09/96-12/10)	VW Transporter IV (07/90-04/03)
VW Caddy II (9K9, 9K9B, 9U7) (11/95-01/04)	VW Vento (11/91-09/98)
VW Golf III (1H1, 1H5, 1E7) (08/91-06/02)	

Crankshaft seal

100 103 1012

Notes

Inner diameter [mm]
Outer diameter [mm]

Transmission End
85
131
Aluminium Housing
Cast Aluminium
Left-hand Twist
with mounting sleeve



References

AUDI	06B 103 171 B
SEAT	06B 103 171 B
SKODA	06B 103 171 B
VW	06B 103 171 B

Application info

AUDI A3 (8L1) (09/96-05/03)	VW Bora (1J2, 1J6) (10/98-05/05)
AUDI A3 (8P1, 8PA) (05/03-08/12)	VW Caddy III (2KA, 2KB) (03/04-08/10)
AUDI A4 (8D2, 8D5, B5) (11/94-09/01)	VW Eos (03/06-11/10)
AUDI A4 (8E2, 8E5, B6) (10/00-12/04)	VW Golf IV (1J1, 1J5) (08/97-06/06)
AUDI A4 (8EC, 8ED) (11/04-06/08)	VW Golf V (1K1, 1K5, 5M1) (10/03-05/09)
AUDI A4 (8H7) (04/02-03/09)	VW Golf VI (5K1, 517, AJ5) (10/08-11/13)
AUDI A6 (4B, C5) (01/97-01/05)	VW Jetta III (1K2) (08/05-10/10)
SEAT Exeo (3R) (12/08-09/10)	VW New Beetle (1Y7, 9C1, 1C1) (01/98-10/10)
SEAT Ibiza II / III / Cordoba / Inca (02/93-06/03)	VW Passat (3B_) (08/96-08/05)
SEAT Leon / Toledo (1M1, 1M2) (04/99-06/06)	VW Passat (3C_) (03/05-10/11)
SEAT Leon / Toledo / Altea (1P1, 5P2, 5P5) (03/04-05/10)	VW Polo (6K_) (11/95-07/02)
SKODA Octavia I (1U_) (09/96-12/10)	VW Touran (1T1, 1T2) (02/03-05/10)
SKODA Octavia II (1Z_) (02/04-12/10)	

Crankshaft seal

100 103 1013

Notes

Inner diameter [mm]
Outer diameter [mm]

Transmission End
85
235
Aluminium Housing
Cast Aluminium
Left-hand Twist
with mounting sleeve



References

AUDI	078 103 171 L
------	---------------

Application info

AUDI 80 (8C, 8G7, B4) (05/91-08/00)	AUDI A6 (4B, C5) (01/97-01/05)
AUDI A4 (8D2, 8D5, B5) (11/94-09/01)	AUDI A8 (4D2, 4D8) (03/94-09/02)
AUDI A4 (8E2, 8E5, B6) (10/00-12/04)	VW Passat (3B_) (08/96-08/05)
AUDI A4 (8H7) (04/02-03/09)	

Crankshaft seal

100 103 1014

Notes

Inner diameter [mm]

Transmission End
85
Left-hand Twist
PTFE (polytetrafluoroethylene)
Synthetic Material Housing
with mounting sleeve

References

VW

032 103 170 A
032 103 170 B
032 103 171



Application info

VW Fox/Lupo Z51 (10/03--)

VW Polo (9N_) (10/01-11/09)

Engine mount

014 024 0130

Notes

Rear
Transmission End
Rubber-metal Bearing
with guide sleeve

References

MERCEDES-BENZ

906 242 00 13
906 242 05 13
2E0 199 379 A
2E0 199 379 H

VW



Application info

MERCEDES-BENZ BM 906 (Sprinter II) (06/06--)

VW Crafter (04/06-07/11)

Expansion tank

53-14 223 0001

Notes

with filler cap
with sensor

References

LAND ROVER

LR020367



Application info

LAND ROVER Discovery III (07/04-09/09)
LAND ROVER Discovery IV (09/09--)

LAND ROVER Range Rover Sport (02/05--)

Fuel filter

714 323 0016

Notes

Diameter 1 [mm]	19,3
Diameter [mm]	78
Height [mm]	110
	Filter Insert

References

FORD	1 352 443
------	-----------



Application info

FORD C-Max I (02/07--)	FORD Mondeo IV (03/07--)
FORD Focus II (10/03-09/08)	FORD S-Max (05/06--)
FORD Galaxy II (05/06--)	

Intake hose, turbo charger

100 036 0033

Notes

References

SKODA	3B0 145 828 G
VW	3B0 145 828 G



Application info

SKODA Superb I (3U) (12/01-03/08)	VW Passat (3B_) (08/96-08/05)
-----------------------------------	-------------------------------

V-ribbed belt

050 004 0654

Notes

Length [mm]	654
Number of Ribs	4

References



Application info

FORD Escort V, VI, VII / Orion III (07/90-06/01)	FORD Fiesta III (01/89-01/97)
--	-------------------------------


V-ribbed belt

050 006 0970

Notes

Length [mm] 970
Number of Ribs 6

References



Application info

TOYOTA Auris I (10/06-04/13)
TOYOTA Corolla (E12) (03/01-07/07)

TOYOTA Yaris II (08/05--)

Water pump

013 220 0024

Notes

with seal

References

MERCEDES-BENZ 640 200 04 20



Application info

MERCEDES-BENZ BM 169 (A-Class) (09/04-06/12)

MERCEDES-BENZ BM 245 (B-Class) (03/05-11/11)

Water pump kit + timing belt kit

651 049 9000

Notes

Length [mm] 1057
Number of belts 1
Number of Teeth 111
Pulleys contained 1
Width [mm] 17
Driven unit: camshaft
with water pump

References



Application info

OPEL Astra F (09/91-01/05)
OPEL Astra G / Zafira A (02/98-12/09)
OPEL Corsa A (09/82-03/93)
OPEL Corsa B / Combo / Tigra (03/93-10/01)

OPEL Kadett E (08/84-07/94)
OPEL Vectra A (04/88-11/95)
OPEL Vectra B (09/95-07/03)

Axial rod



016 030 0001/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	246
Thread Measurement 1	M16x1,5
Thread Measurement 2	M14x1,5



References

MERCEDES-BENZ	210 338 04 15
---------------	---------------

Application info

MERCEDES-BENZ BM 210 (E-Class) (06/95-03/03)

Axial rod



11-16 030 0008/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	315
Thread Measurement 1	M16x1,5
Thread Measurement 2	M16x1,5



References

CITROËN	14 716 540 80
FIAT	9945836
PEUGEOT	4018.A4

Application info

CITROËN Jumper I (02/94-04/02)
CITROËN Jumper II (02/02-06/06)
FIAT Ducato (230) (03/94-04/02)

FIAT Ducato (244) (04/02-07/06)
PEUGEOT Boxer I (03/94-04/02)
PEUGEOT Boxer II (04/02-09/09)

Axial rod



11-16 031 0012/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	255
Thread Measurement 1	M16x1,5
Thread Measurement 2	M16x1,5



References

CITROËN	1610976380
	4001 A1
	4001 E5
FIAT	1359226080
PEUGEOT	1610976380
	4001 A1
	4001 E4
	4001 E5

Application info

CITROËN Jumper III (04/06--)
FIAT Ducato (250) (07/06--)

PEUGEOT Boxer III (04/06--)

Axial rod



11-16 031 0014/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	225
Thread Measurement 1	M10x1
Thread Measurement 2	M14x1,5



References

PEUGEOT	16 08 025 380
---------	---------------

Application info

CITROËN C4 Cactus (09/14--)
PEUGEOT 2008 (03/13--)

PEUGEOT 208 (03/12--)

Axial rod



11-16 031 0034/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	225
Thread Measurement 1	M14x1,5
Thread Measurement 2	M12x1,25

References

CITROËN	4001.33
PEUGEOT	4001.33
TOYOTA	45500-0H010



Application info

CITROËN C1 (06/05--)
PEUGEOT 107 (06/05--)

TOYOTA Aygo (07/05-08/10)

Axial rod



116 031 0017/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	297
Manufacturer Restriction	TRW
Thread Measurement 1	M14x1,5
Thread Measurement 2	M14x1,5
	for vehicles with power steering

References

SEAT	6Q0 423 803 P
	6Q0 423 804 P
SKODA	6Q0 423 803 P
	6Q0 423 804 P
SKODA (SVW)	6Q0 423 803 P
	6Q0 423 804 P
VW	6Q0 423 803 P
	6Q0 423 804 P
	6RG 423 810 A
VW (SVW)	6Q0 423 802 E
	6Q0 423 804 E



Application info

SEAT Ibiza IV / Cordoba (02/02-11/09)
SKODA Fabia I (08/99-03/08)
SKODA Roomster (03/06-03/10)
SKODA (SVW) Fabia (12/08--)

VW Fox/Lupo Z51 (10/03--)
VW Polo (9N_) (10/01-11/09)
VW (SVW) New Polo (06/06-03/12)
VW (SVW) Polo (01/02-03/06)

Axial rod



116 031 0019/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	400
Thread Measurement 1	M18x1,5
Thread Measurement 2	M16x1,5

References

MERCEDES-BENZ	906 460 01 55
	906 460 00 55
VW	2E0 713 491



Application info

MERCEDES-BENZ BM 906 (Sprinter II) (06/06--)

VW Crafter (04/06-07/11)

Axial rod



116 031 0029/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	314
Thread Measurement 1	M14x1,5
Thread Measurement 2	M14x1,5

References

AUDI	6R0 423 803 D
	6R0 423 804 D
	8Z0 423 803 F
	8Z0 423 804 F
SEAT	6R0 423 803 A
	6R0 423 803 C
	6R0 423 804 A
	6R0 423 804 C
VW	6R0 423 803 A
	6R0 423 803 C
	6R0 423 803 D
	6R0 423 804 A
	6R0 423 804 C
	6R0 423 804 D



Application info

AUDI A1 (8X1, 8XA) (05/10--)
 AUDI A2 (8Z0) (02/00-08/05)
 SEAT Ibiza V (6J1, 6J5, 6J8) (03/08-06/10)

SEAT TOLEDO IV (KG3) (07/12--)
 SKODA Rapid II (NH) (07/12--)
 VW Polo (6R_) (06/09-01/11)

Axial rod



16-16 031 0013/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	215
Thread Measurement 1	M14x1,5
Thread Measurement 2	M14x1,5

References

MAZDA	D653-32-240
RENAULT	7701474448



Application info

MAZDA 2 (DE) (10/07--)
RENAULT Mégane II (11/02-01/11)

RENAULT Scénic II (06/03-04/09)

Axial rod



16-16 031 0033/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	309
Thread Measurement 1	M14x1,5
Thread Measurement 2	M14x1,5

References

NISSAN	48001AX702
	48001AY612
	48001BC43A
	48001BC46A
RENAULT	7701475841



Application info

NISSAN Micra (K12) (01/03-06/10)

RENAULT Clio III / Modus (09/04-08/10)

Axial rod



16-16 031 0035/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	236
Manufacturer Restriction	TRW
Thread Measurement 1	M14x1,5
Thread Measurement 2	M14x1,5



References

RENAULT	7701471143
	7701471144

Application info

RENAULT Clio II / Thalia (02/98-02/10)

Axial rod



16-16 031 0036/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	291
Manufacturer Restriction	TRW
Thread Measurement 1	M14x1,5
Thread Measurement 2	M14x1,5



References

RENAULT	7701472734
	7701472735

Application info

RENAULT Clio II / Thalia (02/98-02/10)

Axial rod



16-16 031 0037/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	263
Thread Measurement 1	M12x1
Thread Measurement 2	M14x1,5



References

GENERAL MOTORS	91160037*
NISSAN	48520-00QAM
OPEL	44 08 474*
RENAULT	7701473333
VAUXHALL	44 08 474*

Application info

NISSAN Primastar (03/01--)
OPEL Vivaro (08/01--)
OPEL Vivaro B (06/14--)
RENAULT Trafic I (03/80-03/01)

RENAULT Trafic II (03/01-07/03)
RENAULT Trafic III (05/14--)
VAUXHALL Vivaro (08/01-12/06)
VAUXHALL Vivaro B (05/14--)

Axial rod



16-16 031 0038/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	205
Thread Measurement 1	M16x1,5
Thread Measurement 2	M14x1,5



References

DACIA	8201108350
-------	------------

Application info

DACIA Duster (04/10--)

RENAULT Duster (06/09--)

Axial rod



16-16 031 0039/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	300
Thread Measurement 1	M12x1
Thread Measurement 2	M14x1,5

References

RENAULT	7701477878
---------	------------



Application info

RENAULT Twingo II / Wind (03/07--)

Axial rod



216 031 0026/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	250
Thread Measurement 1	M14x1,5
Thread Measurement 2	M12x1,5

References

FIAT	51786814
	51786815
	51875886
	51875887
FORD	1 541 354
	9S51-3A500-AA



Application info

FIAT 500 (10/07--)

FORD KA II (10/08--)

Axial rod



216 031 0027/HD

Notes

Reinforced Version
Front Axle Left
Front Axle Right
Length [mm] 296
Thread Measurement 1 M16x1,5
Thread Measurement 2 M16x1,5
for vehicles with power steering



References

FIAT 98845026

Application info

FIAT Doblo (119, 223) (03/01-01/10)

Axial rod



216 031 0028/HD

Notes

Reinforced Version
Front Axle Left
Front Axle Right
Length [mm] 330
Thread Measurement 1 M16x1,5
Thread Measurement 2 M14x1,5



References

FIAT 98845024

Application info

FIAT Doblo (119, 223) (03/01-01/10)

Axial rod



216 031 0029/HD

Notes

Reinforced Version
Front Axle Left
Front Axle Right
Length [mm] 252
Thread Measurement 1 M14x1,5
Thread Measurement 2 M12x1,5



References

LANCIA 51706968
51832250
51893013
77362380

Application info

LANCIA Ypsilon (843) (10/03-12/11)

Axial rod



216 031 0030/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	272
Thread Measurement 1	M14x1,5
Thread Measurement 2	M14x1,5



References

CITROËN	4001 K6
	4001 NZ
	4001 PA
	4001.77
FIAT	9940260
LANCIA	9940260
PEUGEOT	4001 77
	4001 K6
	4001 NZ
	4001 PA

Application info

CITROËN Nemo (02/08--)
FIAT Croma I (12/85-12/96)
FIAT Fiorino Nuovo (11/07--)

FIAT Linea (06/07--)
LANCIA Thema I (11/84-07/94)
PEUGEOT Bipper (02/08--)

Axial rod



28-16 031 0023/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	279
Thread Measurement 1	M16x1,5
Thread Measurement 2	M12x1,25



References

KIA	KDX53 32240B
-----	--------------

Application info

KIA Rio I (08/00-02/05)

Axial rod



28-16 031 0025/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	170
Thread Measurement 1	M18x1,5
Thread Measurement 2	M14x1,5



References

KIA	57731 3E010
	57732 3E010

Application info

KIA Sorento I (08/02--)

Axial rod



28-16 031 0026/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	290
Thread Measurement 1	M16x1,5
Thread Measurement 2	M12x1,25



References

KIA	57724 07000
-----	-------------

Application info

KIA Picanto I (04/04--)

Axial rod



30-16 031 0029/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	305
Thread Measurement 1	M14x1,5
Thread Measurement 2	M16x1,5



References

TOYOTA	45503-0F010
--------	-------------

Application info

TOYOTA Avensis (T25) (04/03-11/08)

TOYOTA Corolla Verso (03/04-03/09)

Axial rod



31-16 031 0009/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	122
Thread Measurement 1	M18x1,5
Thread Measurement 2	M14x1,5

References

HONDA	53010-SDA-A01
-------	---------------



Application info

HONDA Accord IX (06/08-12/08)

HONDA Accord VIII (02/03-12/08)

Axial rod



316 031 0017/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	239
Thread Measurement 1	M18x1,5
Thread Measurement 2	M16x1,5

References

BMW	32 10 6 777 479*
	32 21 6 777 451*
BMW (BRILLIANCE)	32 10 6 777 479*
	32 21 6 777 451*



Application info

BMW 5 (E60, E61) (07/03-08/10)
BMW 6 (E63, E64) (01/04--)

BMW (BRILLIANCE) 5 Series (E60) (03/03-09/10)

Axial rod



316 031 0018/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	246
Manufacturer Restriction	TRW
Thread Measurement 1	M18x1,5
Thread Measurement 2	M14x1,5



References

BMW	32 21 6 762 243*
	32 21 6 762 244*
BMW (BRILLIANCE)	32 21 6 762 243*
	32 21 6 762 244*

Application info

BMW 1 (E81, E82, E87, E88) (11/03-09/12)
BMW 3 (E90, E91, E92, E93) (01/05-05/12)

BMW X1 (E84) (03/09--)
BMW (BRILLIANCE) 3 Series (E90) (01/05-09/12)

Axial rod

35-16 031 0004

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	234,5
Thread Measurement 1	16x1
Thread Measurement 2	14x1,5



References

MAZDA	NE51-32 240
-------	-------------

Application info

MAZDA MX-5 (NC) (03/05--)

Axial rod



35-16 031 0029/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	234,5
Thread Measurement 1	16x1
Thread Measurement 2	14x1,5



References

MAZDA	NE51-32 240
-------	-------------

Application info

MAZDA MX-5 (NC) (03/05--)

Axial rod



36-16 031 0020/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	233
Thread Measurement 1	M22x1,5
Thread Measurement 2	M14x1,5

References

NISSAN	48001-JD900
	D8521-JD00B
RENAULT	485219204R



Application info

NISSAN Qashqai I (02/07--)
NISSAN X-Trail (T31) (03/07--)

RENAULT Koleos (09/08--)

Axial rod



37-16 031 0020/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	173
Thread Measurement 1	M16x1,5
Thread Measurement 2	M16x1,5

References

HYUNDAI	57724-2S000
---------	-------------



Application info

HYUNDAI ix35 (08/09--)

Axial rod



37-16 031 0021/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	300
Thread Measurement 1	M16x1,5
Thread Measurement 2	M12x1,25

References

HYUNDAI	57724-0X000
---------	-------------



Application info

HYUNDAI i10 (12/07--)

Axial rod



40-16 031 0000/HD

Notes

	Front Axle Left
	Front Axle Right
Length [mm]	238,5
Thread Measurement 1	M12x1
Thread Measurement 2	M16x1,5

References

CITROËN	3812.E6
PEUGEOT	3812.E6



Application info

CITROËN C2 / C3 I / Pluriel (02/02-09/05)

PEUGEOT 1007 (04/05--)

Axial rod



40-16 031 0001/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	230,5
Thread Measurement 1	M12x1
Thread Measurement 2	M16x1,5

References

CITROËN	16 08 652 180
PEUGEOT	16 08 652 180



Application info

CITROËN C Elyse (11/12--)

PEUGEOT 301 (11/12--)

Axial rod



44-16 031 0002/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	289,5
Thread Measurement 1	M14x1,5
Thread Measurement 2	M14x1,5

References

CHRYSLER	5272500AE*
----------	------------



Application info

CHRYSLER Neon II (08/99-12/06)

CHRYSLER PT Cruiser (06/00-12/10)

Axial rod



516 031 0004/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	294
Thread Measurement 1	M14x1,5
Thread Measurement 2	M16x1,5



References

FORD	1 510 270
VOLVO	31201817

Application info

FORD C-Max I (02/07--)
FORD Focus II (10/03-09/08)
FORD Kuga (03/08--)

VOLVO C30 (10/06-12/12)
VOLVO C70 II (03/06--)
VOLVO S40 II / V50 (01/04--)

Axial rod



53-16 031 0005/HD

Notes

	Reinforced Version
	Front Axle inner
Length [mm]	375
Paired article numbers	53-16 031 0006/HD
Thread Measurement 1	M20x1,5
Thread Measurement 2	M16x1,5



References

LAND ROVER	QFK500020
------------	-----------

Application info

LAND ROVER Discovery III (07/04-09/09)

LAND ROVER Discovery IV (09/09--)

Axial rod



53-16 031 0006/HD

Notes

	Reinforced Version
	Front Axle inner
Length [mm]	375
Paired article numbers	53-16 031 0005/HD
Thread Measurement 1	M16x1,5
Thread Measurement 2	M16x1,5



References

LAND ROVER	QFK500010
------------	-----------

Application info

LAND ROVER Discovery III (07/04-09/09)

LAND ROVER Discovery IV (09/09--)

Axial rod



616 031 0031/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	293
Thread Measurement 1	M14x1,5
Thread Measurement 2	M14x1,5



References

GENERAL MOTORS	93189022
	93196540
OPEL	16 03 543
	16 09 456
VAUXHALL	16 03 543
	16 09 456

Application info

ALFA ROMEO Mito (09/08--)
FIAT Grande Punto (10/05-07/12)
FIAT Punto Evo (07/08-03/12)

OPEL Corsa D (07/06--)
VAUXHALL Combo Mk III (07/06--)
VAUXHALL Corsa Mk III (07/06-03/12)

Axial rod



616 031 0032/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	350
Thread Measurement 1	M16x1,5
Thread Measurement 2	M14x1,5
	for vehicles with hydraulic power steering



References

CHEVROLET	95932789
GENERAL MOTORS	95932789
OPEL	16 09 205
VAUXHALL	16 09 205

Application info

CHEVROLET Trax (12/12--)
OPEL Mokka (06/12--)

VAUXHALL Mokka (06/12--)

Axial rod



616 031 0033/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	290
Thread Measurement 1	M14x1,5
Thread Measurement 2	M14X1,5



References

OPEL	16 09 211
VAUXHALL	16 09 211

Application info

OPEL Adam (10/12--)
OPEL Corsa E (09/14--)

VAUXHALL Adam (10/12--)
VAUXHALL Corsa Mk IV (08/14--)

Axial rod



616 031 0034/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	284
Thread Measurement 1	M18x1,5
Thread Measurement 2	M14x1,5



References

GENERAL MOTORS	93187434
	93191672
OPEL	16 03 384
	16 03 416
VAUXHALL	16 03 384
	16 03 416

Application info

FIAT Croma II (06/05--)
OPEL Vectra C / Signum (04/02-09/08)

VAUXHALL Vectra Mk II / Signum (01/00-10/08)

Axial rod



616 031 0035/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	289
Thread Measurement 1	M18x1,5
Thread Measurement 2	M14x1,5



References

GENERAL MOTORS	93187435
OPEL	16 03 290
VAUXHALL	16 03 290

Application info

OPEL Vectra C / Signum (04/02-09/08)

VAUXHALL Vectra Mk II / Signum (01/00-10/08)

Axial rod



616 031 0036/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	308
Thread Measurement 1	M18x1,5
Thread Measurement 2	M16x1,5



References

BUICK (SGM)	13271996
GENERAL MOTORS	13271996
OPEL	66 06 030
VAUXHALL	66 06 030

Application info

BUICK (SGM) Regal II (12/08--)
OPEL Insignia (07/08--)

VAUXHALL Insignia (07/08-09/13)

Axial rod



616 031 0037/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	290
Thread Measurement 1	M16x1,5
Thread Measurement 2	M16x1,5
	for vehicles with electro-hydraulic steering



References

CHEVROLET	13278358
GENERAL MOTORS	13278358
OPEL	9 20 005
	9 20 007
VAUXHALL	9 20 005
	9 20 007

Application info

CHEVROLET Cruze (J300, J305) (07/00-09/08)
CHEVROLET Cruze (J308) (08/12--)

OPEL Astra J (12/09--)
VAUXHALL Astra Mk VI (12/09--)

Axial rod



716 031 0016/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	289
Thread Measurement 1	M14x1,5
Thread Measurement 2	M14x1,5



References

FORD	1 545 457
	8V51-3L519-AA
MAZDA	D651-32-240

Application info

FORD B-MAX (10/12--)
FORD Fiesta VI (06/08--)
FORD Tourneo (12/12--)

FORD Transit Courier (02/14--)
MAZDA 2 (DE) (10/07--)

Axial rod



716 031 0017/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	289
Thread Measurement 1	M14x1,5
Thread Measurement 2	M16x1,5

References

FORD	1 780 104 AV6C-3L519-AA 1 714 484 AV6C-3L519-BA
VOLVO	31317779



Application info

FORD C-Max II (12/10--)	FORD Tourneo (12/12--)
FORD Focus III (04/11--)	FORD Transit 13 (09/13--)
FORD Kuga II (01/13--)	VOLVO V40 II (03/12--)

Axial rod



716 031 0018/HD

Notes

	Reinforced Version
	Front Axle Left
	Front Axle Right
Length [mm]	292
Thread Measurement 1	M14x1,5
Thread Measurement 2	M16x1,5

References

FORD	1 251 937 1 377 655
VOLVO	30776283



Application info

FORD C-Max I (02/07--)	VOLVO C30 (10/06-12/12)
FORD Focus II (10/03-09/08)	VOLVO C70 II (03/06--)
FORD Kuga (03/08--)	VOLVO S40 II / V50 (01/04--)

Axial rod



716 031 0019/HD

Notes

Reinforced Version
Front Axle Left
Front Axle Right
Length [mm] 300
Thread Measurement 1 M14x1,5
Thread Measurement 2 M16x1,5
for vehicles with hydraulic power steering



References

FORD 1 754 076

Application info

FORD Focus III (04/11--)

Axial rod



716 031 0020/HD

Notes

Reinforced Version
Front Axle Left
Front Axle Right
Length [mm] 382
Thread Measurement 1 M16x1,5
Thread Measurement 2 M16x1,5



References

FORD 1 763 991

Application info

FORD Tourneo (12/12--)
FORD Transit 14 (05/14--)

FORD Transit Custom (12/12--)

Tie rod end

116 020 0009

Notes

Front Axle Left
Length [mm] 94
Paired article numbers 116 020 0010
Thread Measurement 1 M12x1,5
Thread Measurement 2 M14x1,5

References

AUDI 6C0 423 811 A
SEAT 6C0 423 811 A
SKODA 6C0 423 811 A
VW 6C0 423 811 A



Application info

AUDI A1 (8X1, 8XA) (05/10--)
SEAT Ibiza V (6J1, 6J5, 6J8) (03/08-06/10)
SEAT TOLEDO IV (KG3) (07/12--)

SKODA Fabia III (08/14--)
SKODA Rapid II (NH) (07/12--)
VW Polo (6R_) (06/09-01/11)

Tie rod end

116 020 0010

Notes

Length [mm]	Front Axle Right 94
Paired article numbers	116 020 0009
Thread Measurement 1	M12x1,5
Thread Measurement 2	M14x1,5

References

SEAT	6C0 423 812 A
SKODA	6C0 423 812 A
VW	6C0 423 812 A



Application info

AUDI A1 (8X1, 8XA) (05/10--)	SKODA Fabia III (08/14--)
SEAT Ibiza V (6J1, 6J5, 6J8) (03/08-06/10)	SKODA Rapid II (NH) (07/12--)
SEAT TOLEDO IV (KG3) (07/12--)	VW Polo (6R_) (06/09-01/11)

Tie rod end



116 020 0040/HD

Notes

	Reinforced Version
Length [mm]	Front Axle Right 94
Paired article numbers	116 020 0041/HD
Thread Measurement 1	M12x1,5
Thread Measurement 2	M14x1,5

References

SEAT	6Q0 423 812 C
	6R0 423 812
SKODA	6Q0 423 812 C
	6R0 423 812
SKODA (SVW)	6R0 423 812
VW	6Q0 423 812 C
	6R0 423 812
VW (FAW)	6Q0 423 812 C
VW (SVW)	6R0 423 812



Application info

SEAT Ibiza IV / Cordoba (02/02-11/09)	SKODA (SVW) Rapid (Na2) (04/13--)
SEAT Ibiza V (6J1, 6J5, 6J8) (03/08-06/10)	VW Fox/Lupo Z51 (10/03--)
SEAT TOLEDO IV (KG3) (07/12--)	VW Polo (6R_) (06/09-01/11)
SKODA Fabia I (08/99-03/08)	VW Polo (9N_) (10/01-11/09)
SKODA Fabia II (12/06--)	VW (FAW) Jetta Night (03/13--)
SKODA Rapid II (NH) (07/12--)	VW (SVW) New Polo (06/06-03/12)
SKODA Roomster (03/06-03/10)	VW (SVW) Polo (01/02-03/06)
SKODA (SVW) Fabia (12/08--)	VW (SVW) Santana III (12/12--)

Tie rod end

116 020 0042

Notes

	Front Axle Right
	Outer
Length [mm]	94
Paired article numbers	116 020 0043
Thread Measurement 1	M12x1.5
Thread Measurement 2	M14x1.5

References

AUDI	6R0 423 812 A
VW	6R0 423 812 A



Application info

AUDI A1 (8X1, 8XA) (05/10--)

VW Polo (6R_) (06/09-01/11)

Tie rod end



116 020 0042/HD

Notes

	Reinforced Version
	Front Axle Right
	Outer
Length [mm]	94
Paired article numbers	116 020 0043/HD
Thread Measurement 1	M12x1.5
Thread Measurement 2	M14x1.5

References

AUDI	6R0 423 812 A
VW	6R0 423 812 A



Application info

AUDI A1 (8X1, 8XA) (05/10--)

VW Polo (6R_) (06/09-01/11)

Tie rod end

116 020 0043

Notes

	Front Axle Left
	Outer
Length [mm]	94
Paired article numbers	116 020 0042
Thread Measurement 1	M12x1.5
Thread Measurement 2	M14x1.5

References

AUDI	6R0 423 811 A
VW	6R0 423 811 A



Application info

AUDI A1 (8X1, 8XA) (05/10--)

VW Polo (6R_) (06/09-01/11)

Tie rod end



116 020 0043/HD

Notes

	Reinforced Version
	Front Axle Left
	Outer
Length [mm]	94
Paired article numbers	116 020 0042/HD
Thread Measurement 1	M12x1.5
Thread Measurement 2	M14x1.5

References

AUDI	6R0 423 811 A
VW	6R0 423 811 A



Application info

AUDI A1 (8X1, 8XA) (05/10--)

VW Polo (6R_) (06/09-01/11)

Control arm

116 050 0118

Notes

Paired article numbers

Front Axle Left
116 050 0119
Control Arm
Sheet Steel
with ball joint
with rubber mounting

References

SKODA
VW

1K0 407 151 BG
1K0 407 151 BG



Application info

SKODA Octavia II (1Z_) (02/04-12/10)
SKODA Superb II (3T) (03/08-11/10)
SKODA Yeti (5L) (05/09--)

VW Caddy III (2KA, 2KB) (03/04-08/10)
VW Caddy IV (05/15--)

Control arm

116 050 0119

Notes

Paired article numbers

Front Axle Right
116 050 0118
Control Arm
Sheet Steel
with ball joint
with rubber mounting

References

SKODA
VW

1K0 407 152 BG
1K0 407 152 BG



Application info

SKODA Octavia II (1Z_) (02/04-12/10)
SKODA Superb II (3T) (03/08-11/10)
SKODA Yeti (5L) (05/09--)

VW Caddy III (2KA, 2KB) (03/04-08/10)
VW Caddy IV (05/15--)

Control arm bushing

11-14 610 0037

Notes

	Front
	Front Axle Left
	Front Axle Right
	Lower
Height [mm]	59,5
Inner diameter [mm]	14
Outer diameter [mm]	43

References

CITROËN	96 760 321 80
PEUGEOT	96 760 321 80



Application info

CITROËN C4 Grand Picasso II (09/13--)
CITROËN C4 II / DS4 (11/09--)

PEUGEOT 308 II (09/13--)

Control arm bushing

314 610 0027

Notes

	Front Axle Left
	Front Axle Right
Height [mm]	80
Inner diameter [mm]	14
Outer diameter [mm]	70
	Hydro Bearing

References

BMW	31 12 6 777 653
-----	-----------------



Application info

BMW 5 (F07) (10/09-12/10)
BMW 5 (F10, F11) (03/10-12/11)

BMW 6 (F12, F13) (11/10-12/12)
BMW 7 (F01, F02, F03, F04) (06/08--)

Shock absorber

11-26 625 0000

Notes

	Front Axle
	Bottom eye
	Gas Pressure
	Top pin
	Twin-Tube

References

PEUGEOT	5202.PA
---------	---------



Application info

PEUGEOT 407 (05/04-12/09)

Strut mount

314 641 0010

Notes

Front Axle
Piece
Rubber-metal Bearing
without ball bearing

References

BMW

31 30 6 779 604



Application info

BMW X5 (E53) (05/00--)

Wheel hub

37-14 752 0012

Notes

Rim Hole Number

Rear Axle left and right
5
with wheel studs
without accessories
without wheel bearing

References

HYUNDAI

52710-2E500



Application info

HYUNDAI Tucson I (08/04-03/10)
KIA Sportage I (04/94-08/04)

KIA Sportage II (09/04--)